

- Abdul-Raouf UM, Beuchat LR, Ammar MS. 1993. Survival and growth of *Escherichia coli* O157:H7 on salad vegetables. *Appl Environ Microbiol* 59(7):1999-2006.
- Abu-Ashour J, Lee H. 2000. Transport of bacteria on sloping soil surfaces by runoff. *Environ Toxicol* 15(2):149-53.
- Ackers M, Mahon BE, Leahy E, Goode B, Damrow T, Hayes PS, Bibb WF, Rice DH, Barrett TJ, Hutwagner L and others. 1998. An outbreak, of *Escherichia coli* O157:H7 infections associated with leaf lettuce consumption. *J Infect Dis* 177:1588-93.
- Adams MR, Hartley AD, Cox LJ. 1989. Factors affecting the efficacy of washing procedures used in the production of prepared salads. *Food Microbiol* 6:69-77.
- Ahmed RE, Muller HE. 1984. Distribution of enterobacteria in soil after sprinkling with sewage effluent. *Zentralblatt für Bakteriologie, Mikrobiologie und Hygiene* 179:248-58.
- Ait Melloul A, Hassani L. 1999. Salmonella infection in children from the wastewater-spreading zone of Marrakesh city (Morocco). *J Appl Microbiol* 87:536-9.
- Alcayaga S. 1993. Changes in the morbidity profile of certain enteric infections after the Colera epidemic. *Revista Chilena Infectiolog* 1:5-10.
- Al-Ghazali MR, Al-Azawi SK. 1990. *Listeria monocytogenes* contamination of crops grown on soil treated with sewage sludge cake. *J Appl Bacteriol* 69:642-7.
- Al-Hindawi N, Rished R. 1979. Presence and distribution of *Salmonella* species in some local foods from Baghdad City, Iraq. *J Food Prot* 42(11):877-80.
- Allen AB. 1985. Outbreak of campylobacteriosis in a large educational institution—British Columbia. *Can Dis Weekly Rep* 2:28-30.
- Allen MJ, Clancy JL, Rice EW. 2000. The plain, hard truth about pathogen monitoring. *J of AWWA* 92:64-76.
- Amanatidou A, Smid EJ, Gorris LGM. 1999. Effect of elevated oxygen and carbon dioxide on the surface growth of vegetable-associated micro-organisms. *J Appl Microbiol* 86:429-38.
- Andrews WH, Wilson CR, Poelma PL, Romero A, Mislivec PB. 1979. Bacteriological survey of sixty health foods. *Appl Environ Microbiol* 37(3):559-66.
- Andrews JH, Hirano SS, editors. 1991. *Microbial ecology of leaves*. New York: Springer-Verlag. 499 p.
- Andrews PH. 1992. Biological control in the phyllosphere. *Ann Rev Phytopathol* 30:603-35.
- [Anonymous]. 1991a. Code of good irradiation practice for insect disinfestation of fresh fruits (as a quarantine treatment) [ICGFI Document No. 7]. International Consultative Group on Food Irradiation. <<http://www.iaea.or.at/programmes/rifa/icgfi/documents/publications.htm>>. Accessed 2001 Sept 6.
- [Anonymous]. 1991b. Irradiation as a quarantine treatment of fresh fruits and vegetables: report of a task force [ICGFI Document 13]. International Consultative Group on Food Irradiation. <<http://www.iaea.or.at/programmes/rifa/icgfi/documents/publications.htm>>. Accessed 2001 Sept 6.
- [Anonymous]. 1993. Fourth northwest Sizzler outbreak sickens at least nine. *Food Chem News* 34:45.
- [Anonymous]. 1993. F1355—Guideline for the irradiation of fresh fruits for insect disinfestation as a quarantine treatment. [unknown]: Annual Year Book of the American Society for Testing and Materials (ASTM) Standards. Vol. 15.07.
- [Anonymous]. 1996. *Listeria monocytogenes*. In: Roberts TA, Baird-Parker AC, Tompkin RB, editors. *Microorganisms in foods*. London: Chapman & Hall. p 141-82.
- [Anonymous]. 1997. CDC: Water in pest spray likely source of *Cyclospora* in outbreak. *Food Chemical News*(February 10):24.
- [Anonymous]. 2000. DBMD traces Salmonella outbreak to mangoes. *CDC/NCID Focus* 9(4):1-2. <<http://www.cdc.gov/ncidod/focus/index.htm>> Accessed 2001 Sept 6.
- [Anonymous]. 2000. NFPA White Paper—Significance of coliforms and generic *Escherichia coli* on fresh and minimally processed produce. <http://www.nfpa-food.org/members/science/wp_ecoli.html>. Accessed 2001 Aug 29.
- [Anonymous]. 2000 Oct. Market Watch/Foodservice. Refrigerated & Frozen Foods (Stagnito Communications, Deerfield, IL):18.
- [Anonymous]. 2001 Jan. Putting stores online. *Store Equipment & Design Magazine* (Macfadden Communications Group, LLC, New York, NY):10.
- Arnon R, Dosoretz CG, Azov Y, Shelef G. 1994. Residual contamination of crops irrigated with effluent of different qualities: a field study. *Wat Sci Technol* 30(9):239-48.
- Arumugaswami RK, Ali GRR, Abdul-Hamid SNB. 1994. Prevalence of *Listeria monocytogenes* in foods in Malaysia. *Int J Food Microbiol* 23:117-21.
- Asplund K, Nurmi E. 1991. The growth of salmonellae in tomatoes. *Int J Food Microbiol* 13(2):177-82.
- Atwill, and others. Use of poultry and cattle as fertilizer for produce: assessment of risk of human exposure to *E. coli* O157:H7 and *Salmonella*. Forthcoming.
- Austin JW, Dodds KL, Blanchfield B, Farber JM. 1998. Growth and toxin production by *Clostridium botulinum* on inoculated fresh-cut packaged vegetables. *J Food Prot* 61(3):324-8.
- Avena-Bustillos RJ, Cisneros-Zevallos LA, Krochta JM, Saltveit ME. 1993. Optimization of edible coatings on minimally processed carrots using response surface methodology. *Trans Amer Soc Agric Engr* 36:801-5.
- Avena-Bustillos RJ, Cisneros-Zevallos LA, Krochta JM, Saltveit ME. 1994. Application of casein-lipid edible film emulsions to reduce white blush on minimally processed carrots. *Postharvest Biol Technol* 4:319-29.
- Avena-Bustillos RJ, Krochta JM, Saltveit ME, Rujas-Villegas RJ, Saucedo-Perez JA. 1994. Optimization of edible coating formulations on zucchini to reduce water loss. *J Food Engr* 21:197-214.
- Avena-Bustillos RJ, Krochta JM, Saltveit ME. 1997. Postharvest quality of red delicious apples and celery sticks coated with edible caseinate-acetylated monoglyceride films. *J Food Sci*. Forthcoming.
- Ayhan Z, Chism GW, Richter ER. 1998. The shelf-life of minimally processed fresh cut melons. *J Food Qual* 21:29-40.
- Aytac SA, Gorris LGM. 1994. Survival of *Aeromonas hydrophila* and *Listeria monocytogenes* on fresh vegetables stored under moderate vacuum. *World J Microbiol Biotechnol* 10:670-2.
- Backer HD, Mohle-Boetani JC, Werner SB, Abbott SL, Farrar J, Vugia DJ. 2000. High incidence of extra-intestinal infections in a *Salmonella* *havana* outbreak associated with alfalfa sprouts. *Pub Health Rep* 115:339-45.
- Badawy AS, Gerba CP, Kelley LM. 1985. Survival of rotavirus SA-11 on vegetables. *Food Microbiol* 2:199-205.
- Bagdasaryan GA. 1964. Survival of viruses of the enterovirus group (poliomyelitis, echo, coxsackie) in soil and on vegetables. *J Hyg Epidemiol Microbiol Immunol* 8:497-505.
- Baker KF, Heald FD. 1932. Some problems concerning blue mold in relation to cleaning and packing of apples. *Phytopathology* 22:879-98.
- Baldwin EA. 1994. Edible coatings for fresh fruits and vegetables: past, present, and future. In: Krochta JM, Baldwin EA, Nisperos-Carriedo MO, editors. *Edible coatings and films to improve food quality*. Lancaster, PA: Technomic. p 25-64.
- Baldwin EA, Nisperos-Carriedo MO, Baker RA. 1995. Use of edible coatings to preserve quality of lightly (and slightly) processed products. *Crit Rev Food Sci Nutr* 35:509-24.
- Banks JG, Board RG. 1983. The incidence and level of contamination of British fresh sausages and ingredients with salmonellas. *J Hygiene* 90:213-23. (cited in Mossel and others 1995).
- Banks NH. 1984. Some effects of TAL Pro-long coating on ripening bananas. *J Exp Bot* 35:127-37.
- Banks NH. 1985. Internal atmosphere modification in Pro-long coated apples. *Acta Hort* 157:105-12.
- Barkai-Golan R. 1992. Suppression of postharvest pathogens of fresh fruits and vegetables by ionizing radiation. In: Rosenthal, editor. *Electromagnetic Radiations in Food Science*, I. Berlin: Springer-Verlag. p 155-94.
- Barker C, Park SF. 2001. Sensitization of *Listeria monocytogenes* to low pH, organic acids, and osmotic stress by ethanol. *Appl Environ Microbiol* 67:1594-600.
- Barth MM, Zhou C, Mercier M, Payne FA. 1995. Ozone storage effects on anthocyanin content and fungal growth in blackberries. *J Food Sci* 60:1286-7.

List of References

- Bartlett PG, Schmidt W. 1957. Surface-iodine complexes as germicides. *Appl Microbiol* 5:355-9.
- Barton MD, Kolega V, Fenwick SG. 1997. *Yersinia enterocolitica*. In: Hocking AD, Arnold G, Jensen I, Newton K, Sutherland P, editors. *Foodborne microorganisms of public health significance*. Tempe (AU): Trenear Printing Service Pty Ltd. p 493-520.
- Bartz JA, Shwalter RK. 1981. Infiltration of tomatoes by aqueous bacterial suspensions. *Phytopathology* 71(5):515-8.
- Bartz JA. 1982. Infiltration of tomatoes immersed at different temperatures to different depths in suspensions of *Erwinia carotovora* subsp. *carotovora*. *Plant Disease* 66(4):302-6.
- Bartz JA. 1988. Potential for postharvest disease in tomato fruit infiltrated with chlorinated water. *Plant Dis* 72(1):9-13.
- Bartz JA. 1991. Relation between resistance of tomato fruit to infiltration by *Erwinia carotovora* subsp. *carotovora* and bacterial soft rot. *Plant Dis* 75(2):152-5.
- Bartz JA. 1999. Washing fresh fruits and vegetables: lessons from treatment of tomatoes and potatoes with water. *Dairy Food Environ Sanit* 19(12):853-64.
- Barwick RS, Mohammed HO, White ME, Bryant RB. 2000. Detection of *Cryptosporidium parvum* and *Cryptosporidium muris* in soil samples. *Biol Fertil Soils* 31(5):385-90.
- Bastos RXX, Mara DD. 1995. The bacterial quality of salad crops drip and furrow irrigated with waste stabilization pond effluent: an evaluation of the WHO guidelines. *Wat Sci Technol* 31(12):425-30.
- Bazarova VI. 1982. Use of ozone in storage of apples. *Food Sci Technol Abstr* 14(11):J1653.
- Bean NH, Griffin PM. 1990. Foodborne disease outbreaks in the United States, 1973-1987: pathogens, vehicles, and trends. *J Food Prot* 53(9):804-17.
- Beattie GA, Lindow SE. 1995. The secret life of foliar bacterial pathogens on leaves. *Ann Rev Phytopathol* 33:145-72.
- Beattie GA, Lindow SE. 1999. Bacterial colonization of leaves: a spectrum of strategies. *Phytopathol* 89(5):353-9.
- Behrsing J, Winkler S, Franz P, Premier R. 2000. Efficacy of chlorine for inactivation of *Escherichia coli* on vegetables. *Postharv Biol Technol* 19:187-92.
- Bell RG. 1976. Persistence of fecal coliforms indicator bacteria on alfalfa irrigated with municipal sewage lagoon effluent. *J Environ Quality* 5:39-42.
- Benarde MA, Snow WB, Olivieri OP, Davidson B. 1967. Kinetics and mechanism of bacterial disinfection by chlorine dioxide. *Appl Microbiol* 15:257-65.
- Bennik MHJ, Smid EJ, Rombouts FM, Gorris LGM. 1995. Growth of psychrotrophic foodborne pathogens in a solid surface model system under the influence of carbon dioxide and oxygen. *Food Microbiol* 12:509-19.
- Bennik MHJ, Vorstman W, Smid EJ, Gorris LGM. 1998. The influence of oxygen and carbon dioxide on the growth of prevalent Enterobacteriaceae and *Pseudomonas* species isolated from fresh and controlled-atmosphere-stored vegetables. *Food Microbiol* 15:459-69.
- Bennik MHJ, Van Overbeek W, Smid EJ, Gorris LGM. 1999. Biopreservation in modified atmosphere stored mungbean sprouts: the use of vegetable-associated bacteriocinogenic lactic acid bacteria to control the growth of *Listeria monocytogenes*. *Lett Appl Microbiol* 28:226-32.
- Berg G, Berman D. 1980. Destruction by anaerobic mesophilic and thermophilic digestion of viruses and indicator bacteria indigenous to domestic sludges. *Appl Environ Microbiol* 39(2):361-8.
- Berrang ME, Brackett RE, Beuchat LR. 1989a. Growth of *Listeria monocytogenes* on fresh vegetables stored under controlled atmosphere. *J Food Prot* 52(10):702-5.
- Berrang ME, Brackett RE, Beuchat LR. 1989b. Growth of *Aeromonas hydrophila* on fresh vegetables stored under a controlled atmosphere. *Appl Environ Microbiol* 55(9):2167-71.
- Besser RES, Lett SM, Weber JT, Doyle MP, Barrett TJ, Wells JG, Griffin PM. 1993. An outbreak of diarrhea and hemolytic uremic syndrome from *Escherichia coli* O157:H7 in fresh-pressed apple cider. *J Am Med Assoc* 269:2217-20.
- Beuchat LR, Brackett RE, Hao DYY, Conner DE. 1986. Growth and thermal inactivation of *Listeria monocytogenes* in cabbage and cabbage juice. *Can J Microbiol* 32:791-5.
- Beuchat LR, Brackett RE. 1990a. Survival and growth of *Listeria monocytogenes* on lettuce as influenced by shredding, chlorine treatment, modified atmosphere packaging and temperature. *J Food Sci* 55(3):755-8, 870.
- Beuchat LR, Brackett RE. 1990b. Inhibitory effects of raw carrots on *Listeria monocytogenes*. *Appl Environ Microbiol* 56(6):1734-42.
- Beuchat LR, Brackett RE. 1991. Behavior of *Listeria monocytogenes* inoculated into raw tomatoes and processed tomato products. *Appl Environ Microbiol* 57(5):1367-71.
- Beuchat LR, Brackett RE, Doyle MP. 1994. Lethality of carrot juice to *Listeria monocytogenes* as affected by pH, sodium chloride and temperature. *J Food Prot* 57(6):470-4.
- Beuchat LR, Doyle MP. 1995. Survival and growth of *Listeria monocytogenes* in foods treated or supplemented with carrot juice. *Food Microbiol* 12:73-80.
- Beuchat LR. 1996. Pathogenic microorganisms associated with fresh produce. *J Food Prot* 59(2):204-16.
- Beuchat LR. 1996a. *Listeria monocytogenes*: incidence on vegetables. *Food Control* 7(4/5):223-8.
- Beuchat LR, Ryu J-H. 1997 Oct-Dec. Produce handling and processing practices: special issue. *Emerg Infect Dis* 3(4):459-65.
- Beuchat LR. 1998. Surface decontamination of fruits and vegetables eaten raw: a review. World Health Organization, Food Safety Unit WHO/FSF/FOS/98.2. <www.who.int/fsf/fos982-1.pdf>. Accessed 2001 July 25.
- Beuchat LR, Nail BV, Adler BB, Clavero MRS. 1998. Efficacy of spray application of chlorinated water in killing pathogenic bacteria on raw apples, tomatoes, and lettuce. *J Food Prot* 61(10):1305-11.
- Beuchat LR. 1999. Survival of Enterohemorrhagic *Escherichia coli* O157:H7 in bovine feces applied to lettuce and the effectiveness of chlorinated water as a disinfectant. *J Food Prot* 62(8):845-9.
- Beuchat LR. 2000. Use of sanitizers in raw fruit and vegetable processing. In: Alzamora SM, Tapia MS, Lopez-Malo A, editors. *Minimally Processed Fruits and Vegetables: Fundamental Aspects and Applications*. Gaithersburg [MD]: Aspen.
- Bianchi A, Ricke SC, Cartwright AL, Gardner FA. 1994. A peroxidase catalyzed chemical dip for the reduction of *Salmonella* on chicken breast skin. *J Food Prot* 57:301-4.
- Bidawid S, Farber JM, Sattar SA. 2001. Survival of hepatitis A virus on modified atmosphere packaged (MAP) lettuce. *Food Microbiol* 18(1):95-102.
- Birkhead GS, Morse DL, Levine WC, Fudala JK, Kondracki SF, Chang HG, Shaye-gani M, Novick L, Blake PA. 1993. Typhoid fever at a resort hotel in New York: a large outbreak with an unusual vehicle. *J Infect Dis* 167:1228-32.
- Blakeman JP, editor. 1981. *Microbial ecology of the phylloplane*. London: Academic Press. 502 p.
- Blenden DC, Szatalowicz FT. 1967. Ecological aspects of listeriosis. *J Am Vet Med Assoc* 151:1761-6.
- Blostein J. 1993. An outbreak of *Salmonella javiana* associated with consumption of watermelon. *J Environ Health* 56(1):29-31.
- Bormaneyby HC, McEwen SA, Clarke RC, McNab WB, Rahn K, Valdiviesogarcia A. 1993. The seroprevalence of verocytotoxin-producing *Escherichia coli* in Ontario dairy cows and associations with production and management. *Preventive Veterinary Medicine* 15(4):261-74.
- Bowles BL, Sackitey SK, Williams AC. 1995. Inhibitory effects of flavor compounds on *Staphylococcus aureus* WRRRC B124. *J Food Safety* 15:337-47.
- Bowles BL, Juneja VK. 1998. Inhibition of food-borne bacterial pathogens by naturally occurring food additives. *J Food Safety* 18:101-12.
- Brackett RE. 1987. Antimicrobial effect of chlorine on *Listeria monocytogenes*. *J Food Prot* 50(12):999-1003.
- Brackett RE. 1992. Shelf stability and safety of fresh produce as influenced by sanitation and disinfection. *J Food Prot* 55(10):804-14.
- Brackett RE. 1999. Incidence, contributing factors, and control of bacterial pathogens in produce. *Postharvest Biol Technol* 15:305-11.
- Brackett RE, Splittstoesser DF. 2001. *Fruits and Vegetables*. In: Downes FP, Ito K, editors. *Compendium of methods for the microbiological examination of foods*. Washington: American Public Health Association. p 515-20.
- Brady NC. 1990. *The nature and properties of soils*. 10th ed. New York: Macmillan. 621 p.
- Breidt R, Hayes JS, Fleming HP. 2000. Reduction of microflora on whole pickling cucumbers by blanching. *J Food Sci* 65:1354-8.
- Brinton WF, Droffner MW. 1994. Microbial approaches to characterization of composting processes. *Composting Science and Utilization* 94(summer):12-7.
- Brocklehurst, Zaman-Wong CM, Lund BM. 1987. A note on the microbiology of retail packs of prepared salad vegetables. *J Appl Bacteriol* 63:409-15.
- Brodrick HT, van der Linde HJ. 1981. Technological feasibility studies on combination treatments for subtropical fruits. *Combination Processes in Food Irradiation, Proceedings Series*. Vienna: International Atomic Energy Agency. p 141-52.
- Brody A. 1989. Introduction. In: Brody AL, editor. *Controlled/Modified Atmosphere/Vacuum packaging of foods*. Trumbull (CT): Food & Nutrition Press Inc. p 1-16.
- Brody A. 1995. A perspective on MAP products in North America and Western Europe. In: Farber JM, Dodds KL, editors. *Principles of modified atmosphere and sous-vide packaging*. Lancaster (PA): Technomic. p 13-36.
- Brown GE, Schubert TS. 1987. Use of *Xanthomonas campestris* pv. *vesicatoria* to evaluate surface disinfectants for canker quarantine treatment of citrus fruit. *Plant Dis* 4:319-23.
- Bryan DS; 1972 December 26. U.S. Patent 3,707,383.
- Bryan FL. 1977. Diseases transmitted by foods contaminated by wastewater. *J Food Prot* 40:45-56.
- Buchanan RL, Edelson SG, Snipes K, Boyd G. 1998. Inactivation of *Escherichia coli* O157:H7 in apple juice by irradiation. *Appl Environ Microbiol* 64(11):4533-5.
- Buchanan RL, Edelson SG, Boyd G. 1999. Effects of pH and acid resistance on the radiation resistance of enterohemorrhagic *Escherichia coli*. *J Food Prot* 62:219-28.
- Buchanan RL, Edelson SG, Miller RL, Sapers GM. 1999. Contamination of intact apples after immersion in an aqueous environment containing *Escherichia coli* O157:H7. *J Food Prot* 62(5):444-50.
- Buchanan RL. 2000. Acquisition of microbiological data to enhance food safety. *J Food Prot* 63(6):832-8.
- Buchko SJ, Holley RA, Olson WO, Gannon VPJ, Veira DM. 2000. The effect of different grain diets on fecal shedding of *Escherichia coli* O157:H7 by steers. *J Food Prot* 63(11):1467-74.
- Burnett SL, Chen J, Beuchat LR. 2000. Attachment of *Escherichia coli* O157:H7 to the surfaces and internal structures of apples as detected by confocal scanning laser microscopy. *Appl Environ Microbiol* 66(11):4679-87.
- Burton CH. 1996. An overview of the problems of livestock manure in the EU and the methods of dealing with it. In: *Proceedings, Manure Management Symposium; Mar 20-21, 1996; Winnipeg (Canada)*. [unknown]: Manitoba Agriculture. p 27-38.

IFT/FDA Report on Task Order 3

- Buta JG, Moline HE. 1998. Methyl jasmonate extends shelf life and reduces microbial contamination of fresh-cut celery and peppers. *J Agric Food Chem* 46:1253-6.
- Butler ME. 2000 April 24. *Salmonella* outbreak leads to juice recall in Western states. *Food Chem News* 42(10):19.
- CAC Codex Alimentarius Commission. 2000 Nov. Proposed draft code of hygienic practice for primary production, harvesting and packaging of fresh fruits and vegetables [Report of the thirty second session of the codex committee on food hygiene; 1999 Nov 29-Dec 4]. Rome: Codex Alimentarius Commission. Report nr ALINORM 01/13. paras 71-86. Available from: <ftp://ftp.fao.org/codex/ALI-NORM01/A101_13e.pdf>.
- Callister SM, Agger WA. 1987. Enumeration and characterization of *Aeromonas hydrophila* and *Aeromonas caviae* isolated from grocery store produce. *Appl Environ Microbiol* 53(2):249-53.
- Calvente V, Benuzzi D, deTosetti MIS. 1999. Antagonistic action of siderophores from *Rhodotorula glutinis* upon the postharvest pathogen *Penicillium expansum*. *Int Biodeter Biodeg* 43:167-72.
- Carballo SJ, Blankenship SM, Sanders DC, Ritchie DF, Boyette MD. 1994. Comparison of packing systems for injury and bacterial soft rot on bell pepper fruit. *HortTechnol* 4(3):269-72.
- Carlin F, Nguyen-the C, Cudennec P, Reich M. 1989. Microbiological spoilage of fresh ready-to-use grated carrots. *Sci Alim* 9:371.
- Carlin F, Nguyen-The C. 1994. Fate of *Listeria monocytogenes* on four types of minimally processed green salads. *Lett Appl Microbiol* 18:222-6.
- Carlin F, Nguyen-the C, Abreu da Silva A. 1995. Factors affecting the growth of *Listeria monocytogenes* on minimally processed fresh endive. *J Appl Bacteriol* 78:636-46.
- Carlin F, Nguyen C, Morris CE. 1996. Influence of background microflora on *Listeria monocytogenes* on minimally processed fresh broad-leaved endive (*Cichorium endivia* var. *latifolia*). *J Food Prot* 59:698-703.
- Carlin F, Nguyen-the C, Da Silva AA, Cochet C. 1996. Effects of carbon dioxide on the fate of *Listeria monocytogenes*, of aerobic bacteria and on the development of spoilage in minimally processed fresh endive. *Int J Food Microbiol* 32:159-72.
- Cassin MH, Lammerding AM, Todd ECD, Ross W, McColl RS. 1998. Quantitative risk assessment for *Escherichia coli* O157:H7 in ground beef hamburgers. *Int J Food Microbiol* 41:21-44.
- [CAST] Council for Agricultural Science and Technology. 1986. Ionizing energy in food processing and pest control: I. Wholesomeness of food treated with ionizing energy. Ames (IA): CAST. Report nr 109. 50 p.
- [CAST] Council for Agricultural Science and Technology. 1989. Ionizing energy in food processing and pest control: II. Applications. Ames (IA): CAST. Report nr 115. 98 p.
- Castillejo Rodriguez AM, Barco-Alcala E, Garcia-Gimeno RM, Zurera-Cosano G. 2000. Growth modelling of *Listeria monocytogenes* in packaged fresh green asparagus. *Food Microbiol* 17:421-7.
- Castillo A, Escartin EF. 1994. Survival of *Campylobacter jejuni* on sliced watermelon and papaya [a research note]. *J Food Prot* 57(2):166-8.
- Castro-Rosas J, Escartin EF. 2000. Survival and growth of *Vibrio cholerae* O1, *Salmonella typhi*, and *Escherichia coli* O157:H7 in alfalfa sprouts. *J Food Sci* 65(1):162-5.
- Catteau M, Krembel C, Wauters G. 1985. *Yersinia* in raw vegetables. *Sci Aliments* 5:103-6.
- [CCREFF] Composting Council Research and Education Foundation, Test Methods for the Examination of Composting and Compost. 2001. Test methods for the examination of composting and compost. <http://tmecc.org/tmecc/index.html>. Accessed 2001 July 24.
- CDC. 1971. Infectious Hepatitis—Tennessee. *MMWR* 20:357.
- CDC. 1975. *Salmonella typhimurium* outbreak traced to a commercial apple cider—New Jersey. *MMWR* 24:87.
- CDC. 1979. *Salmonella oranienburg* gastroenteritis associated with consumption of precut watermelons-Illinois. *MMWR* 28:522-3.
- CDC. 1989. Epidemiologic notes and reports common-source outbreak of giardiasis—New Mexico. *MMWR* 38:405-7.
- CDC. 1990. CDC surveillance summaries; March 1, 2000. *MMWR* 39(SS-1):15-23.
- CDC. 1991. Multi-state outbreak of *Salmonella poona* infections—United States and Canada 1991. *MMWR* 40:549-52.
- CDC. 1994. Foodborne outbreaks of enterotoxigenic *Escherichia coli*-Rhode Island and New Hampshire, 1993. *MMWR* 43:81, 7-8.
- CDC. 1995. Outbreak of *S. hartford* among travellers to Orlando, FA, May 1995. Atlanta, GA: CDC.
- CDC. 1996a. Foodborne outbreak of diarrheal illness associated with *Cryptosporidium parvum*—Minnesota, 1995. *MMWR* 45(36):783-5.
- CDC. 1996b. Outbreak of *Escherichia coli* O157:H7 infections associated with drinking unpasteurized commercial apple juice — British Columbia, California, Colorado, and Washington, October 1996. *MMWR* 45(44):975.
- CDC. 1997a. Hepatitis A associated with consumption of frozen strawberries—Michigan, March 1997. *MMWR* 46:288-9.
- CDC. 1997b. Outbreak of cyclosporiasis—Northern Virginia—Washington DC—Baltimore, Maryland metropolitan area, 1997. *MMWR* 46(30):689-91.
- CDC. 1997c. Outbreaks of *Escherichia coli* O157:H7 infection and cryptosporidiosis associated with drinking unpasteurized apple cider—Connecticut and New York, October 1996. *MMWR* 46:4-8.
- CDC. 1997d. Outbreaks of *Escherichia coli* O157:H7 infection associated with eating alfalfa sprouts—Michigan and Virginia, June-July 1997. *MMWR* 46(32):741-4.
- CDC. 1998a. Foodborne outbreak of cryptosporidiosis—Spokane, Washington, 1997. *MMWR* 47(565-7).
- CDC. 1998b. Outbreak of *Campylobacter enteritis* associated with cross-contamination of food—Oklahoma, 1996. *MMWR* 47:129-31.
- CDC. 1998c. Outbreak of cyclosporiasis—Ontario, Canada, May 1998. *MMWR* 47:806-9.
- CDC. 1999a. Outbreak of *Salmonella* serotype Muenchen infections associated with unpasteurized orange juice—United States and Canada, July 1999. *MMWR* 48:582-5.
- CDC. 1999b. Outbreaks of *Shigella sonnei* infection associated with eating fresh parsley—United States and Canada, July-August 1998. *MMWR* 48:285-9.
- CDC. 2000. CDC surveillance summaries; March 17, 2000. *MMWR* 49(SS-1):1-51.
- Cerrutti P, Alzamora SM, Vidales SL. 1997. Vanillin as an antimicrobial for producing shelf stable strawberry puree. *J Food Sci* 62:608-10.
- [CFR] Code of Federal Regulations. 2000a. Title 21, Part 101.95. Food Labelling: "Fresh," "freshly frozen," "fresh frozen," "frozen fresh." Available from: <http://www.access.gpo.gov/nara/cfr/index.html>. Accessed 2001 Sept 6.
- [CFR] Code of Federal Regulations. 2000b. Title 21, Part 110.3(o). Current Good Manufacturing Practice in Manufacturing, Packing, or Holding Human Food: Definitions. Available from: <http://www.access.gpo.gov/nara/cfr/index.html>. Accessed 2001 Sept 6.
- [CFR] Code of Federal Regulations. 2000c. Title 21, Part 173.300. Secondary Direct Food Additives Permitted in Food for Human Consumption: Chlorine dioxide. Available from: <http://www.access.gpo.gov/nara/cfr/index.html>. Accessed 2001 Sept 6.
- [CFR] Code of Federal Regulations. 2000d. Title 21, Part 173.325. Secondary Direct Food Additives Permitted in Food for Human Consumption: Acidified sodium chlorite solutions. Available from: <http://www.access.gpo.gov/nara/cfr/index.html>. Accessed 2001 Sept 6.
- Chantaysakorn P, Richter RL. 2000. Antimicrobial properties of Pepsin-digested Lactoferrin added to carrot juice and filtrates of carrot juice. *J Food Prot* 63(3):376-80.
- Charatan F. 1999. New York outbreak of *E. coli* poisoning affects 1000 and kills two. *British Medical Journal* 319(7214):869.
- Chauret C, Springthorpe S, Sattar S. 1999. Fate of *Cryptosporidium* oocysts, *Giardia* cysts, and microbial indicators during wastewater treatment and anaerobic sludge digestion. *Can J Microbiol* 45:257-62.
- Chen M-C, Yeh GH-C, Chiang B-H. 1996. Antimicrobial and physicochemical properties of methylcellulose and chitosan films containing a preservative. *J Food Process Preserv* 20:379-90.
- Cherry WB, Hanks JB, Thomason BM, Murlin AM, Biddle JW, Croom JM. 1972. *Salmonellae* as an index of pollution of surface waters. *Appl Environ Microbiol* 24:334-40.
- Cherry JP. 1999. Improving the safety of fresh produce with antimicrobials. *Food Technol* 53(11):54-7.
- Chervin C, Boisseau P. 1994. Quality maintenance of "ready-to-eat" shredded carrots by gamma-irradiation. *J Food Sci* 59:359-61.
- Chung D, Yam KL. 1999. Antimicrobial packaging material containing propyl paraben [abstract]. In: 1999 IFT Annual Meeting Technical Program: Book of Abstracts; 1999 July 24-28; Chicago. Chicago: Institute of Food Technologists. p 21. 11B-5.
- Church PN. 1993. Meat products. In: Parry RT, editor. Principles and applications of modified atmosphere packaging of food. London (UK): Blackie Academic and Professional. p 229-62.
- Cizek A, Alexa P, Literak I, Hamrik J, Novak P, Smola J. 1999. Shiga toxin-producing *Escherichia coli* O157 in feedlot cattle and Norwegian rats from a large-scale farm. *Lett Appl Microbiol* 28:435-9.
- Clarke ID. 1959. Possible applications of ionizing radiations in the fruit, vegetable and related industries. *Int J Appl Radiat Isot* 6:175.
- Clean Water Act, 33 U.S.C. § 1251 et seq. (1977).
- Clover DO, Atwill R, Himathongkham S, Jeffrey J, Kirk J, Riemann H, Sischo W, Suslow T. 2001. Use of poultry and cattle manure as fertilizer for produce: assessment of risk of human exposure to *E. coli* O157:H7 and *Salmonella*. CDFA Agreement No. 98-0522-1. Available from: CA Dept. of Food and Agriculture, Sacramento, CA; Dr. Dean Cliver (dcliver@ucdavis.edu).
- Coastal Zone Management Act, 16 U.S.C. § 1451 et seq. (1972).
- Cody SH, Glynn K, Farrar JA, Cairns KL, Griffin PM, Kobayashi J, Fyfe M, Hoffman R, King AS, Lewis JH and others. 1999. An outbreak of *Escherichia coli* O157:H7 infection from unpasteurized commercial apple juice. *An Intern Med* 130:202-9.
- Cohen D, and others. 1991. Reduction of transmission of shigellosis by control of houseflies (*Musca domestica*). *Lancet* 337:993-8.
- Committee on Salmonella. 1995. Report of the Committee on Salmonella. In: Proc. 99th Ann. Mtg. US Animal Health Assoc.; 1995 Oct 28-Nov 3; Reno (NV). Richmond (VA): U.S. Animal Health Association. p 508.
- Committee on the Use of Treated Municipal Wastewater Effluents and Sludge in the Production of Crops for Human Consumption, Water Science and Technology Board, Commission on Geosciences Environment and Resources, National Research Council. 1996. Public health concerns about infectious disease agents. Use of reclaimed water and sludge in food crop production. Washington, DC: National Academy Press. p 89-99.
- Conway WS, Janisiewicz WJ, Watada AE, Sams CE. 1998. Survival and growth of *Listeria monocytogenes* on fresh-cut apple slices. *Phytopathol* 88:S18.

List of References

- Conway WS, Leverentz B, Saftner RA. 2000. Survival and growth of *Listeria monocytogenes* on fresh-cut apple slices and its interaction with *Glomerella cingulata* and *Penicillium expansum*. *Plant Dis* 84:177-81.
- Cook KA, Dobbs TE, Hlady WG, Wells JG, Barrett TJ, Puhf ND, Lancette GA, Bodager DW, Toth BL, Genese CA and others. 1998. Outbreak of *Salmonella* serotype Hartford infections associated with unpasteurized orange juice. *J Am Med Assoc* 280:1504-9.
- Cornell Good Agricultural Practices Program. 2000. Food safety begins on the farm: reduce microbial contamination with good agricultural practices. Cornell University, College of Agriculture and Life Sciences, Dept. of Horticulture, Cornell Commercial Vegetable Production Program. <<http://www.hort.cornell.edu/commercialvegetables/issues/foodsafety.html>>. Accessed 2001 Aug 9.
- Costilow RN, Uebersax MA, Ward PJ. 1984. Use of chlorine dioxide for controlling microorganisms during handling and storage of fresh cucumbers. *J Food Sci* 49:396-401.
- Cousins CM, Allan CD. 1967. Sporicidal properties of some halogens. *J Appl Bacteriol* 30:168-74.
- Cover TL, Aber RC. 1989. *Yersinia enterocolitica*. *New Engl J Med* 321:16-24.
- Cronin MJ, Yohalem DS, Harris RF, Andrews JH. 1996. Putative mechanism and dynamics of inhibition of the apple scab pathogen *Venturia inaequalis* by compost extracts. *Soil Biol Biochem* 28(9):1241-9.
- [CSPi] Center for Science in the Public Interest. Updated and Revised 2000 Aug. Outbreak alert! Closing the gaps in our federal food-safety net (Appendix A Outbreaks traced to FDA-regulated foods, 1990-2000). Lkd. from: <<http://www.cspinet.org/reports/index.html>>. Accessed 2001 Aug 28.
- Cummings K. 1999 Sept 20. Salmonella outbreak linked to raw tomatoes in California. In: 39th Interscience Conference on Antimicrobial Agents and Chemotherapy (ICAAC): a meeting of the American Society for Microbiology; 1999 Sept 26-29; San Francisco, CA. Herndon (VA): ASM Pr. Session 213. L/M, Paper 2216.
- Darbas H, Riviere M, Oberti J. 1985. *Yersinia* in refrigerated vegetables. *Sci Aliments* 5:81-4.
- Dargatz DA, Wells SJ, Thomas LA, Hancock DD, Garber LP. 1997. Factors associated with the presence of *Escherichia coli* O157 in feces of feedlot cattle. *J Food Prot* 60(5):466-70.
- Davies DH, Elson CM, Hayes ER. 1989. N,O-carboxymethyl chitosan, a new water soluble chitin derivative. In: Skjak-Brack G, Andersen T, Sandford P, editors. Chitin and chitosan: sources, chemistry, biochemistry, physical properties, and applications. New York: Elsevier Applied Science.
- Davis H, Taylor JP, Perdue JN, Stelma Jr. GN, Humphreys Jr. JM, Rowntree III R, Greene KD. 1988. A shigellosis outbreak traced to commercially distributed shredded lettuce. *Am J Epidemiol* 128(6):1312-21.
- Day BPF. 1993. Fruit and vegetables. In: Parry RT, editor. Principles and applications of MAP of foods. New York: Blackie Academic and Professional. p 114-33.
- Day BPF. 1996. High oxygen modified atmosphere packaging for fresh prepared produce. *Postharvest News and Info* 7(3):1N-34N.
- de Simon M, Tarrago C, Ferrer MD. 1992. Incidence of *Listeria monocytogenes* in fresh foods in Barcelona [Spain]. *Int J Food Microbiol* 16:153-6.
- Decamp O, Warren A. 2000. Investigation of *Escherichia coli* removal in various designs of subsurface flow wetlands used for wastewater treatment. *Ecological Engineering* 14:293-9.
- Deeks S, Ellis A, Ciebin B, Khakhria R, Naus M, Hockin J. 1998. *Salmonella oranienburg*, Ontario. *Can Comm Dis Rep* 24:177-9.
- Del Rosario BA, Beuchat LR. 1995. Survival and growth of enterohemorrhagic *Escherichia coli* O157:H7 in cantaloupe and watermelon. *J Food Prot* 58(1):105-7.
- Delaquis PJ, Mazza G. 1995. Antimicrobial properties of isothiocyanates in food preservation. *Food Technol* 49(11):73-84.
- Dickinson CH. 1986. Adaptations of micro-organisms to climatic conditions affecting aerial plant surfaces. In: Fokkema NJ, van den Heuvel J, editors. Microbiology of the phyllosphere. New York: Cambridge Univ. p 77-100.
- Diehl JF. 1995. Safety of irradiated foods. 2nd revised ed. New York: Marcel Dekker, Inc.
- Diez-Gonzalez T, Calloway TR, Kizoulis MG, Russell JB. 1998. Grain feeding and the dissemination of acid-resistant *Escherichia coli* from cattle. *Science* 281:1666-8.
- Dignan DM. 1985. Evaluation of the botulism hazard from diced raw potatoes preserved by gas exchange (sulfur dioxide, carbon monoxide, carbon dioxide). *Diss Abstr Int* 46(4):1011B.
- Dingman DW. 2000. Growth of *Escherichia coli* O157:H7 in bruised apple (*Malus domestica*) tissue as influenced by cultivar, date of harvest, and source. *Appl Environ Microbiol* 66:1077-83.
- Dondero NC, Thomas CT, Khare M, Timoney JF, Fukui GM. 1977. *Salmonella* in surface waters of central New York State. *Appl Environ Microbiol* 33:791-801.
- dos Reis Tassinari A, Melo Franco BDG, Landgraf M. 1994. Incidence of *Yersinia* spp. in food in Sao Paulo, Brazil. *Int J Food Microbiol* 21(3):263-70.
- Dowe MJ, Jackson ED, Mori JG, Bell CR. 1997. *Listeria monocytogenes* survival in soil and incidence in agricultural soils. *J Food Prot* 60(10):1201-7.
- Downs TJ, Cifuentes-Garcia E, Suffet IM. 1999. Risk screening for exposure to groundwater pollution in a wastewater irrigation district of the Mexico City Region. *Environ Health Perspectives* 107:553-61.
- Doyle MP, Schoeni JL. 1986. Isolation of *Campylobacter jejuni* from retail mushrooms. *Appl Environ Microbiol* 51(2):449-50.
- Doyle ME, Mazzotta AS. 2000. Review of studies on the thermal resistance of *Salmonellae*. *J Food Prot* 63:779-95.
- Drahos DJ, Barry GF, Hemming BC, Brundt EJ, Kline EL, Skipper HD, Kluepfel DA. 1992. Spread and survival of genetically marked bacteria in soil. In: Day MJ, Fry JC, editors. Environmental release of genetically engineered and other microorganisms. Cambridge: Cambridge Univ Press. p 147-60.
- Drake SR, Pellman JK, Nelson JW. 1987. Postharvest use of sucrose polyesters for extending the shelf-life of stored 'Golden Delicious' apples. *J Food Sci* 52:1283-5.
- Drake SR, Sanderson PG, Neven LG. 1999. Response of apple and winter pear fruit quality to irradiation as a quarantine treatment. *J Food Proc Preserv* 23:203-16.
- Drucker E, Webber MP, McMaster P, and others. 1989. Increasing rate of pneumonia hospitalizations in the Bronx: a sentinel indicator for human immunodeficiency virus. *Int J Epidemiol* 18:926-33. (cited in Mossel and others 1995).
- Duncan TG, Doull JA, Miller ER, Bancroft H. 1946. Outbreak of typhoid fever with orange juice as the vehicle, illustrating the value of immunization. *Am J Public Health* 36:34-6.
- Dwankath CT, Rayner ET, Mann GE, Dollar FG. 1968. Reduction of aflatoxin levels in cottonseed and peanut meals by ozonation. *J Am Oil Chem Soc* 45:93-5.
- Einstein AB, Jacobsen W, Goldman A. 1963. An epidemic of infectious hepatitis in a general hospital: probable transmission by contaminated orange juice. *J Am Med Assoc* 185:171-4.
- Elad Y, Shtienberg D. 1994. Effect of compost water extracts on grey mould (*Botrytis cinerea*). *Crop Protection* 13(2):109-14.
- Elder RO, Keen JE, Siragusa GR, Barkocy-Gallagher GA, Koohmaria M, Laegreid WW. 2000. Correlation of enterohemorrhagic *Escherichia coli* O157 prevalence in feces, hides, and carcasses of beef cattle during processing. *Proc Natl Acad Sci*(7):2999-3003.
- El-Ghaouth A, Arul J, Ponnampalam R, Boulet M. 1991a. Chitosan coating effect on storability and quality of fresh strawberries. *J Food Sci* 56(6):1618-20.
- El-Ghaouth A, Arul J, Ponnampalam R. 1991b. Use of chitosan coating to reduce water loss and maintain quality of cucumber and bell pepper fruits. *J Food Proc Pres* 15:359-68.
- El-Ghaouth A, Smilanick JL, Brown GE, Ippolito A, Wisniewski M, Wilson CL. 2000. Application of *Candida saitoana* and glycochitosan for the control of post-harvest diseases of apple and citrus fruit under semi-commercial conditions. *Plant Dis* 84:243-8.
- El-Samahy SK, Youssef BM, Askar AA, Swailam HMM. 2000. Microbiological and chemical properties of irradiated mango. *J Food Safety* 20:139-56.
- Elson CM, Hayes ER. 1985. Development of the differentially permeable fruit coating Nutri-Save® for the modified atmosphere storage of fruit. In: Proceedings of the Fourth National Controlled Atmosphere Research Conference: Controlled Atmospheres for Storage and Transport of Perishable Agricultural Commodities; Raleigh (NC). p 248-62.
- [EPA] Environmental Protection Agency, Office of Water, Office of Wastewater Enforcement and Compliance. 1992 Sept. Manual: Guidelines for Water Reuse. Washington: U.S. Agency for Int'l Dev. Report nr EPA/625/R-92/004. 247 p.
- [EPA] Environmental Protection Agency, Office of Wastewater Enforcement and Compliance. 1993 Sept. A guide to the Federal EPA Rule for land application of domestic septage to non-public contact sites (Rpt. #832-B-92-005). <http://www.epa.gov/OW-OWM.html/pdfs/septage_guide.pdf>. Accessed 2001 Sept 4.
- [EPA] Environmental Protection Agency. 2000. Proposed regulations to address water pollution from concentrated animal feeding operations. Washington (DC): US Environmental Protection Agency, Office of Water. Report nr 833-F-00-016.
- Ercolani GL. 1976. Bacteriological quality assessment of fresh marketed lettuce and fennel. *Appl Environ Microbiol* 31(6):847-52.
- Escudero ME, Velazquez L, Di Genaro MS, De Guzman AS. 1999. Effectiveness of various disinfectants in the elimination of *Yersinia enterocolitica* on fresh lettuce. *J Food Prot* 62:665-9.
- Exama A, Arul J, Lencki RW, Lee LZ, Toupin C. 1993. Suitability of plastic films for modified atmosphere packaging of fruits and vegetables. *J Food Sci* 58(6):1365-70.
- Farber JM, Sanders GW, Johnston MA. 1989. A survey of various foods for the presence of *Listeria* species. *J Food Prot* 52(7):456-8.
- Farber JM. 1991. Microbiological aspects of modified-atmosphere packaging technology—a review. *J Food Prot* 54(1):58-70.
- Farber JM, Wang SL, Cai Y, Zhang S. 1998. Changes in populations of *Listeria monocytogenes* inoculated on packaged fresh-cut vegetables. *J Food Prot* 61(2):192-5.
- Farber JM. 2000 Oct. Qualitative risk assessment unpasteurized fruit juice/cider. Ottawa, Ontario: Health Canada, Food Directorate, Health Products and Food Branch. 27 p. Available from: Jeff_Farber@hc-sc.gc.ca.
- Farkas J. 1989. Microbiological safety of irradiated foods. *Int J Food Microbiol* 9:1-15.
- Farkas J. 1997. Physical methods of food preservation. In: Doyle MP, Beuchat LR, Monteville TJ, editors. Food microbiology: fundamentals and frontiers. Washington, DC: American Society for Microbiology. p 497-519.
- Farrell JB, Salotto BV, Venosa AD. 1990. Reduction in bacterial densities of wastewater solids by three secondary treatment processes. *Research Journal of the Water Pollution Control Federation* 62:177-84.
- Farrell JB, Bhida V, Smith Jr. JE. 1996. Development of EPA's new methods to quantify vector attraction of wastewater sludges. *Water Environment Research* 68(3):286-94.
- Fatemi P, Frank JF. 1999. Inactivation of *Listeria monocytogenes*/Pseudomonas biofilms by peracid sanitizers. *J Food Prot* 62:761-5.

IFT/FDA Report on Task Order 3

- [FDA] Food and Drug Administration, Center for Food Safety and Applied Nutrition. 1998 Oct 26. Guide to minimize microbial food safety hazards for fresh fruits and vegetables [Guidance for Industry]. <<http://www.foodsafety.gov/~dms/prodguid.html>>. Accessed 2001 Aug 10.
- [FDA] Food and Drug Administration, Center for Food Safety and Applied Nutrition. 2000. Kinetics of microbial inactivation for alternative food processing technologies. <<http://vm.cfsan.fda.gov/~comm/ift-toc.html>>. Accessed 2001 Aug 15.
- [FDA] Food and Drug Administration. 2001 Jan 19. Hazard analysis and critical control point (HACCP); procedures for the safe and sanitary processing and importing of juice; final rule. Fed Register 66(13):6137.
- [FDA] Food and Drug Administration, Center for Food Safety and Applied Nutrition, Office of Plant and Dairy Foods and Beverages. 2001 Jan 30. FDA survey of imported fresh produce. FY 1999 Field Assignment. <<http://www.cfsan.fda.gov/~dms/prodsur6.html>>. Accessed 2001 Aug 10.
- [FDEP] Florida Dept. of Environmental Protection. 1999. Reuse of reclaimed water and land application. Tallahassee: Florida Dept. of Environmental Protection. Ch. 62-610, F.A.C.
- [FDEP] Florida Dept. of Environmental Protection. 2001. 2000 Reuse inventory. Tallahassee: Florida Dept. of Environmental Protection.
- [FDEP] Florida Dept. of Environmental Protection, Surface water quality standards. Fla. Admin. Code § Ch 62-302 (2001).
- Feng P. Updated 1999 Aug 18. A summary of background information and foodborne illness associated with the consumption of sprouts. Food and Drug Administration, Center for Food Safety and Applied Nutrition. <<http://www.cfsan.fda.gov/~mow/sprouts.html>>. Accessed 2001 Aug 10.
- Feng Yu W, Kanwar RS, Bailey TB, Baker JL. 2000. Impact of swine manure application rate and method on bacteria transport with runoff water. In: 2000 ASAE Annual Int Meeting; 2000 July 1-16; Milwaukee. p 1-16.
- Fenlon DR. 1985. Wild birds and silage as reservoirs of *Listeria* in the agricultural environment. J Appl Bacteriol 59:537-43.
- Fenlon DR, Wilson J, Donachie W. 1996. The incidence and level of *Listeria monocytogenes* contamination of food sources at primary production and initial processing. J Appl Bacteriol 81:641-50.
- Fernandez Escartin EF, Castillo Ayala A, Saldana Lozano J. 1989. Survival and growth of *Salmonella* and *Shigella* on sliced fresh fruit. J Food Prot 52(7):471-2.
- Ferns PN, Mudge GP. 2000. Abundance, diet and *Salmonella* contamination of gulls feeding at sewage outfalls. Water Research 34:2653-60.
- [FI] Food Institute. 2000 Jan 17. Sales up 5.2% more than double food at-home inflation. The Food Institute Report (Fairlawn, NJ):24. Available from: Danielle Breuel at (201)791-5570, ext. 16; (dbreuel@foodinstitute.com).
- [FI] Food Institute. 2000 Jan 31. Top 25 food retailers, 1999. The Food Institute Report (Fairlawn, NJ):7. Available from: Danielle Breuel at (201)791-5570, ext. 16; (dbreuel@foodinstitute.com).
- Finch GR, Fairbairn N. 1991. Comparative inactivation of poliovirus type 3 and MS2 coliphage in demand-free phosphate buffer by using ozone. Appl Environ Microbiol 57(11):3121-6.
- Fisher TL, Golden DA. 1998. Fate of *Escherichia coli* O157:H7 in ground apples used in cider production. J Food Prot 61(10):1372-4.
- Fleming CA, Caron D, Gunn JE, Barry MA. 1998. A foodborne outbreak of *Cyclospora cayentanensis* at a wedding. Arch Intern Med 158:1121-5.
- Foegeding PM, Busta FF. 1991. Chemical food preservatives. In: Block SE, editor. Disinfection, sterilization and preservation. 4th ed. Philadelphia (PA): Lea & Febiger.
- [FOG] Florida Certified Organic Growers and Consumers. ??? Florida Organic Growers Certification Standards. [unknown]: FOG. 3 p. Available from: Florida Certified Organic Growers and Consumers, Inc. (FOG); P.O. Box 12311, Gainesville, FL 32604; (352)377-6345; FOGoffice@aol.com.
- Francis GA, O'Beirne D. 1997. Effects of gas atmosphere, antimicrobial dip and temperature on the fate of *Listeria innocua* and *Listeria monocytogenes* on minimally processed lettuce. Int J Food Sci and Technol 32:141-51.
- Francis GA, O'Beirne D. 1998. Effects of storage atmosphere on *Listeria monocytogenes* and competing microflora using a surface model system. Int J Food Sci Technol 33:465-76.
- Francis GA, Thomas C, O'Beirne D. 1999. The microbiological safety of minimally processed vegetables [review article]. Int J Food Sci Technol 34:1-22.
- Fransen NG, van den Elzen AMG, Urlings BAP, Bijker PGH. 1996. Pathogenic micro-organisms in slaughterhouse sludge—a survey. Int J Food Microbiol 33:245-56.
- Fredlund H, Back E, Sjoberg L, Tornquist E. 1987. Watermelon as a vehicle of transmission of Shigellosis. Scand J Infect Dis 19:219-21.
- Frenzen PD, Majchrowicz A, Buzby JC, Imhoff B. 2000. Consumer acceptance of irradiated meat and poultry products. Ag Info Bull 757.
- Fricker CR, Tompsett S. 1989. *Aeromonas* spp. in foods: A significant cause of food poisoning? Int J Food Microbiol 9:17-23.
- Friedman TL. 2000. The lexis and the olive tree. New York: Anchor Books. 133-4 p.
- Fukao T, Sawada H, Ohta Y. 2000. Combined effect of hop resins and sodium hexametaphosphate against certain strains of *Escherichia coli*. J Food Prot 63:735-40.
- Furuya S, Morita H, Aoki S. 1999. Decrease of *Cryptosporidium muris* oocysts during compost making from bovine feces. Nippon Juishikai Zasshi (Journal of the Japan Veterinary Medical Association) 52(5):291-3.
- [FWEA] Florida Water Environment Association, Water Reuse Committee. 2000 Aug. The 2000 reuse round table: looking to the future of water reuse in Florida. Florida Water Resources Journal 52(8):27.
- Gagliardi JV, Karns JS. 2000. Leaching of *Escherichia coli* O157:H7 in diverse soils under various agricultural management practices. Appl Environ Microbiol 66(3):877-83.
- Gallegos E, and others. 1998. The effects of wastewater irrigation on ground water quality in Mexico. In: Varima CVJ, Rao ARG, Kaushish SP, editors. Proceedings, 1st Intl Specialized Conference, Water quality and its Management; New Delhi, India. Brookfield (VT): Rotterdam. p 173-81.
- Gammon R, Kerelak K. 1973. Gaseous sterilization of foods. Am Inst Chem Eng Symp Ser 69:91.
- Gansheroff LJ, O'Brien AD. 2000 Mar 28. *Escherichia coli* O157:H7 in beef cattle presented for slaughter in the U.S.: higher prevalence rates than previously estimated. Proc Natl Acad Sci 97(7):2955-61.
- Garber L, Wells S, Schroeder-Tucker L, Ferris K. 1999. Factors associated with fecal shedding of verotoxin-producing *Escherichia coli* 0157 on dairy farms. J Food Prot 62(4):307-12.
- Garcia-Gimeno RM, Sanchez-Pozo MD, Amaro-Lopez MA, Zurera-Cosano G. 1996. Behaviour of *Aeromonas hydrophila* in vegetable salads stored under modified atmosphere at 4 and 15 °C. Food Microbiol 13:369-74.
- Garcia-Villanova Ruiz B, Cueto Espinar A, Bolanos Carmona MJ. 1987. A comparative study of strains of salmonella isolated from irrigation waters, vegetables and human infections. Epidemiol Infect 98:271-6.
- Garcia-Villanova Ruiz B, Galvez Vargas R, Garcia-Villanova R. 1987. Contamination on fresh vegetables during cultivation and marketing. Int J Food Microbiol 4:285-91.
- Garg N, Churey JJ, Splittstoesser DF. 1990. Effect of processing conditions on the microflora of fresh-cut vegetables. J Food Prot 53:701-3.
- Gaulin CD, Ramsay D, Cardinal P, Halevyn MAD. 1999. Epidemic of gastroenteritis of viral origins associated with eating imported raspberries. Can J Pub Health 90:37-40.
- Gaylor GE, MacCreedy RA, Reardon JP, McKernan BF. 1955. An outbreak of Salmonellosis traced to watermelon. Public Health Reports 70(3):311-3.
- Geldreich EE, Bordner RH. 1971. Fecal contamination of fruits and vegetables during cultivation and processing for market. A review. J Milk Food Technol 34:184-95.
- Gerba C, Straub T, Rose JB, Karpiscak M, Foster K, Brittain R. 1995. Water quality study of graywater treatment systems. Water Resources Bulletin 31:109-16.
- Gershenfeld L, Witlin B. 1949. Evaluation of the antibacterial efficiency of dilute solutions of free halogens. J Am Pharm Assoc, Sci Ed. 38:411-4.
- Golden DA, Rhodehamel EJ, Kautter DA. 1993. Growth of *Salmonella* spp. in cantaloupe, watermelon, and honeydew melons. J Food Prot 56(3):194-6.
- Gorny JR. 1997. A summary of CA and MA requirements and recommendations for fresh-cut (minimally processed) fruits and vegetables [abstract]. In: Gorny J, editor. Proceedings Volume 5: Fresh-cut fruits and vegetables and MAP (7th annual Controlled Atmosphere Research Conference); 1997 July 13-18; Davis (CA). [unknown]: University of CA, Dept. of Pomology. p 30-66.
- Gorny JR, Zagory D. Produce food safety. In: Gross KC, Saltveit ME, Wang CY, editors. The commercial storage of fruits, vegetables, and florist and nursery stocks. Washington, D.C.: U.S. Dept. of Agriculture [Handbook 66]. p 35. Forthcoming.
- Gorny J, editor. 2001. Food safety guidelines for the fresh-cut produce industry. 4th ed. Alexandria (VA): IFPA. Available from: IFPA; 1600 Duke St., Ste. 440; Alexandria, Va 22314; 703-299-6282/703-299-6288.
- Goyal SM, Gerba CP, Melnick JL. 1977. Occurrence and distribution of bacterial indicators and pathogens in canal communities along the Texas coast. Appl Environ Microbiol 34:139-49.
- Gras MH, Druet-Michaud C, Cerf O. 1994. La flore bacterienne des feuilles de salade fraiche (Bacterial flora of salad leaves). Sci Aliments 14:173-88.
- Gray RJ, Hsu D. 1979. Effectiveness of iodophor in the destruction of *Vibrio parahaemolyticus*. J Food Sci 44:1097-100.
- Greengrass J. 1993. Films for MAP of foods. In: Parry RT, editor. Principles and applications of modified atmosphere packaging of food. New York: Blackie Academic and Professional. p 63-100.
- Gregory E, Barnhart H, Dreesen DW, Stern NJ, Corn JL. 1997. Epidemiological study of *Campylobacter* spp. in broilers: source, time of colonization, and prevalence. Avian Dis 41:890-8.
- Griffin PM, Tauxe RV. Updated 2001 June 20. Surveillance for outbreaks of *Escherichia coli* 0157:H7 infection summary of 1998 data. Center for Disease Control, National Center for Infectious Diseases, Division of Bacterial and Mycotic Diseases (Atlanta, GA). <<http://www.cdc.gov/ncidod/dbmd/diseaseinfo/cstee98.pdf>>. Accessed 2001 Aug 10.
- Guan TY, Blank G, Ismond A, Van Acker R. 2001. Fate of foodborne bacterial pathogens in pesticide products. J Sci Food & Agric 81(5):503-12.
- Guilbert S, Gontard N, Gorris LGM. 1996. Prolongation of the shelf-life of perishable food products using biodegradable films and coatings [review article]. Food Sci Technol 29:10-7.
- Gunes G, Splittstoesser DL, Lee CY. 1997. Microbial quality of fresh potatoes: effect of minimal processing. J Food Prot 60:863-6.
- Haas CN, Meyer MA, Paller MD, and others. 1983. The utility of endotoxins as a surrogate indicator in potable water microbiology. Water Res 17:803-7. (cited in Mossel and others 1995).
- Haas CN, Notari J, Engelbrecht RS. 1996. Monte Carlo assessment of microbial risk associated with landfilling of fecal material. Water Environ Res [a research publication of the Water Environment Federation] 68(7):1123-31.

List of References

- Hagenmaier RD, Baker RA. 1997. Low-dose irradiation of cut iceberg lettuce in modified atmosphere packaging. *J Ag Food Chem* 45:2864-8.
- Hagenmaier RD, Baker RA. 1998a. An evaluation of gamma irradiation for preservation of citrus salads in flexible packaging. *Proc Florida State Hort Soc* 110:243-5.
- Hagenmaier RD, Baker RA. 1998b. Microbial population of shredded carrot in modified atmosphere packaging as related to irradiation treatment. *J Food Sci* 63:162-4.
- Hall HE, Brown DF, Lewis KH. 1967. Examination of market foods for coliform organisms. *Appl Microbiol* 15:1062-9.
- Hall RF, Waldham DG, Meinershagen WA, Dubose DA. 1977. Isolation of *Salmonella* spp. from dead gulls (*Larus californicus* and *Larus delawarensis*) from an Idaho irrigation reservoir. *Avian Diseases* 21:452-4.
- Hammerschmidt R. 1999. Induced disease resistance: how do induced plants stop pathogens? *Physiol Mol Plant Pathol* 55:77-84.
- Han JH. 2000. Antimicrobial food packaging. *Food Technol* 54(3):56-65.
- Han Y, Sherman DM, Linton RH, Nielsen SS, Nelson PE. 2000. The effects of washing and chlorine dioxide gas on survival and attachment of *Escherichia coli* O157:H7 to green pepper surfaces. *Food Microbiol* 17:521-33.
- Hancock DD, Besser TE, Kinsel ML, Tarr PI, Rice DH, Paros MG. 1994. The prevalence of *Escherichia coli* O157:H7 in dairy and beef cattle in Washington State. *Epidemiol Infect* 113:199-207.
- Hancock DD, Rice DH, Herriott DE, Besser TE, Ebel ED, Carpenter LV. 1997. Effects of farm manure-handling practices on *Escherichia coli* O157 prevalence in cattle. *J Food Prot* 60(4):363-6.
- Hancock DD, Besser TE, Rice DH, Ebel ED, Herriott DE, Carpenter LV. 1998. Multiple sources of *Escherichia coli* O157 in feedlots and dairy farms in the Northwestern USA. *Prevent Vet Med* 35(1):11-9.
- Hao YY, Brackett RE, Beuchat LR, Doyle MP. 1998. Microbiological quality and the inability of proteolytic *Clostridium botulinum* to produce toxin in film-packaged fresh-cut cabbage and lettuce. *J Food Prot* 61:1148-53.
- Hao YY, Brackett RE, Beuchat LF, Doyle MP. 1999. Microbiological quality and production of botulinum toxin in film-packaged broccoli, carrots, and green beans. *J Food Prot* 62:499-508.
- Haraguchi T, Slimidu U, Aiso K. 1969. Preserving effect of ozone on fish. *Bull Jpn Soc Sci Fish* 35(915-20).
- Harmon SM, Kautter DA, Solomon HM. 1987. *Bacillus cereus* contamination of seeds and vegetable sprouts grown in a home sprouting kit. *J Food Prot* 50(1):62-5.
- Harvey DA, MacNeil AC. 1984. A survey of zoonotic diseases and arthropod vectors isolated from live-trapped Norway rats (*Rattus norvegicus*) in the municipality of Richmond, British Columbia. *Can J Public Health* 75:374-8.
- Harvey J, Gilmour A. 1993. Occurrence and characteristics of *Listeria* in foods produced in Northern Ireland. *Int J Food Microbiol* 19:193-205.
- Havelaar AH, Pot-Hogbeem WM. 1988. F-specific RNA-bacteriophages as model viruses in water hygiene: ecological aspects. *Wat Sci Technol* 20:399-407. (cited in Mossel and others 1995).
- Hays H, Elliker PR, Sandine WE. 1967. Microbial destruction by low concentrations of hypochlorite and iodophor germicides in alkaline and acidified water. *Appl Microbiol* 15:575-81.
- Hedberg CW, Osterholm MT. 1993. Outbreaks of food-borne and waterborne viral gastroenteritis. *Clin Microbiol Rev* 6(3):199-210.
- Heisick JE, Wagner DE, Nierman ML, Peeler JT. 1989. *Listeria* spp. found on fresh market produce. *Appl Environ Microbiol* 55(8):1925-7.
- Henschke RB, Henschke EJ, Schmidt FRJ. 1991. Monitoring survival and gene transfer in soil microcosms of recombinant *Escherichia coli* to represent an industrial production strain. *Appl Microbiol Biotechnol* 35(2):247-52.
- Herriot DE. 1998. Association of herd management factors with colonization of dairy cattle by Shiga toxin-positive *Escherichia coli* O157. *J Food Prot* 61(7):802-7.
- Herwaldt BL, Lew JF, Moe CL, Lewis DC, Humphrey CD, Monroe SS, Pon EW, Glass RI. 1994. Characterization of a variant strain of norwalk virus from a foodborne outbreak of gastroenteritis on a cruise ship in Hawaii. *J Clin Microbiol* 32:861-6.
- Herwaldt BL, Ackers ML. 1997. An Outbreak in 1996 of cyclosporiasis associated with imported raspberries. *New Engl J Med* 336(22):1548-56.
- Herwaldt BL, Beach MJ. 1999. The return of *Cyclospora* in 1997: another outbreak of cyclosporiasis in North America associated with imported berries. *Ann of Intern Med* 130:210-9.
- Herwaldt BL. 2000. *Cyclospora cayentanensis*: a review, focusing on the outbreaks of cyclosporiasis in the 1990s. *Clin Infect Dis* 31:1040-57.
- Heuvelink AE, van den Biggelaar FLAM, Zwartkruis-nahuis JTM, Herbes RG, Huyben R, Nagelkerke N, Melchers WJG, Monnens LAH, De Boer E. 1998 Dec. Occurrence and Verocytotoxin-producing *Escherichia coli* O157 on Dutch dairy farms. *J Clin Microbiol* 36(12):3480-7.
- Hillborn ED, Mermin JH, Mshar PA, Hadler JL, Voetsch A, Wojtkunski C, Swartz M, Mshar R, Lambert-Fair MA, Farrar JA and others. 1999. A multistate outbreak of *Escherichia coli* O157:H7 infections associated with consumption of mesclun lettuce. *J Am Med Assoc* 281:1758-64.
- Himathongkham S, Bahari S, Riemann H, Cliver D. 1999. Survival of *Escherichia coli* O157:H7 and *Salmonella typhimurium* in cow manure and cow manure slurry. *FEMS Microbiology Letters* 178:251-7.
- Himathongkham S, Nuanualsuwan S, Riemann H. 1999. Survival of *Salmonella enteritidis* and *Salmonella typhimurium* in chicken manure at different levels of water activity. *FEMS Microbiol Letters*. Federation of European Microbiological Societies 172(2):159-63.
- Himathongkham S, Riemann H. 1999. Destruction of *Salmonella typhimurium*, *Escherichia coli* O157:H7 and *Listeria monocytogenes* in chicken manure by drying and/or gassing with ammonia. *FEMS Microbiol Letts* 171(2):179-82.
- Himathongkham S. 2000. Survival of selected foodborne pathogens in manure and manure slurries [Ph.D. thesis]: University of Osaka Prefecture, Japan.
- Himathongkham S, Riemann H, Bahari S, Nuanualsuwan S, Kass P, Cliver D. 2000. Survival of *Salmonella typhimurium* and *Escherichia coli* O157:H7 in poultry manure and manure slurry at sublethal temperatures. *Avian Dis* 44:353-860.
- Hintlain CB, Hotchkiss JH. 1987. Comparative growth of spoilage and pathogenic organisms on modified atmosphere-packaged cooked beef. *J Food Prot* 50:218-23.
- Ho JL, Shands KN, Friedland G, Eckind P, Fraser DW. 1986. An outbreak of type 4b *Listeria monocytogenes* infection involving patients from eight Boston hospitals. *Arch Intern Med* 146:520-3.
- Horvath M, Bilitzky L, Huttner J. 1985. Ozone. Amsterdam: Elsevier. 68-74, 304-31 P.
- Hossain A, Townend J, Killham K. 2000. A simple method for assessing leaching risk of bacteria through soils. *Soil Use Manage* 16(1):71-3.
- Hotchkiss JH, Banco MJ, Busta FF, Genigeorgis CA, Kociba R, Rheaume L, Smoot LA, Schuman JD, Sugiyama H. 1992. The relationship between botulinum toxin production and spoilage of fresh tomatoes held at 13 and 23 °C under passively modified and controlled atmospheres and air. *J Food Prot* 55(7):522-7.
- Hovde CJ, Austin PR, Cloud KA, Williams CJ, Hunt CW. 1999. Effect of cattle diet on *Escherichia coli* O157:H7 acid resistance. *Appl Environ Microbiol* 65:3233-5.
- Howard LR, Gonzalez AR. 2001. Food safety and produce operations: What is the future? *Hort Sci* 36:33-9.
- Hudson JA, De Lacy KM. 1991. Incidence of motile *Aeromonads* in New Zealand retail foods. *J Food Prot* 54:696-9.
- Hutin YJF, Pool V, Cramer EH, Nainan OV, Weth J, Williams IT, Goldstein ST, Gensheimer KF, Bell BP, Shapiro CN and others. 1999. A multistate, foodborne outbreak of hepatitis A. *New Eng J Med* 340:595-602.
- [ICMSF] International Commission on Microbiological Specifications for Foods. 1986. Sampling for microbiological analysis: principles and specific applications. 2nd ed. Toronto: Univ Toronto Pr. (Microorganisms in foods:2).
- [ICMSF] International Commission on Microbiological Specifications for Foods. 1998. Fruits and fruit products. London: Blackie Academic and professional. 252-73 p. (Microorganisms in Foods: 6).
- [ICMSF] International Commission on Microbiological Specifications for Foods. 2001. Microbiological testing and food safety management. [unknown]: Aspen. (Microorganisms in foods; 7). Forthcoming.
- [IFPA] International Fresh-cut Produce Association. 1996. Food safety guidelines for the fresh-cut produce industry. 3rd ed. Alexandria (VA): IFPA. 125 p.
- [IFPA] International Fresh-cut Produce Association, WGA Western Growers Association. 1997 Summer. Voluntary food safety guidelines for fresh produce. [unknown]: IFPA/WGA. 39 p. IFPA; 1600 Duke Street, Ste. 440; Alexandria, VA 22314; (703)299-6282.
- [IFPA] International Fresh-cut Produce Association. 2001. Fresh-cut produce: get the facts! IFPA home page. see link from: <<http://www.fresh-cuts.org>>. Accessed 2001 Aug 24.
- Ingram M. 1977. The significance of the index and indicator organisms in foods. In: Presented at the Tenth Intl Symposium of the IUMS Committee on Food Microbiology and Hygiene; 1977 Sept 5-10; Szczecin, Poland. Unpublished: for an account of this paper, see Mossel, D.A.A., Coliform test for cheese and other foods. *Lancet* ii, 1425. (cited in Mossel and others 1995).
- Isshiki K, Tokuoka K, Mori R, Chiba S. 1992. Preliminary examination of allyl isothiocyanate vapor for food preservation. *Biosci Biotech Biochem* 56:1476-7.
- Iwasa M, Makino S, Asakura H, Kobori H, Morimoto Y. 1999. Detection of *Escherichia coli* O157:H7 from *Musca domestica* at a cattle farm in Japan. *J Med Entomol* 36(1):108-12.
- Jackson SG, Goodbrand RB, Johnson RP, Odorico VG, Alves D, Rahn K, Wilson JB, Welch MK, Khakhria R. 1998. *Escherichia coli* O157:H7 diarrhea associated with well water and infected cattle on an Ontario farm. *Epidemiol Infect* 120(1):17-20.
- Jacxsens L, Devlieghere F, Falcato P, DeBever J. 1999. Behavior of *Listeria monocytogenes* and *Aeromonas* spp. on fresh-cut produce packaged under equilibrium-modified atmosphere. *J Food Prot* 62(10):1128-35.
- Jagger J. 1981. Near-UV radiation effects on microorganisms. *Photochemistry and Photobiology* 34:761-8.
- Janisiewicz WJ, Bors B. 1995. Development of a microbial community of bacterial and yeast antagonists to control wound-invading postharvest pathogens of fruit. *Appl Environ Microbiol* 61:3261-7.
- Janisiewicz WJ, Conway WS, Brown MW, Sapers GM, Fratamico P, Buchanan RL. 1999. Fate of *Escherichia coli* O157:H7 on fresh-cut apple tissue and its potential for transmission by fruit flies. *Appl Environ Microbiol* 65(1):1-5.
- Janisiewicz WJ, Conway WS, Leverentz B. 1999. Biological control of postharvest decays of apple can prevent growth of *Escherichia coli* O157:H7 in apple wounds. *J Food Prot* 62:1372-5.
- Jaquette CB, Beuchat LR, Mahon BE. 1996. Efficacy of chlorine and heat treatment in killing *Salmonella stanley* inoculated onto alfalfa seeds and growth and survival of the pathogen during sprouting and storage. *Appl Environ Microbiol* 62(6):2212-5.
- Jay JM. 1996. Indicators of food microbial quality and safety. *Modern Food Microbiology*. 5th ed. New York: Chapman & Hall. p 387-407. (Food science texts se-

IFT/FDA Report on Task Order 3

- ries).
- Jay JM. 2000. Modern Food Microbiology. 6th ed. Gaithersburg (MD): Aspen. 679 p.
- Jay JM. 2000. Indicators of food microbial quality and safety. Modern food microbiology. Gaithersburg (MD): Aspen. p 387-406.
- Jaykus LA. 2000. Detection of human enteric viruses in foods. In: Sattar S, editor. Foodborne disease handbook: viruses, parasites, pathogens, and HACCP, Volume 2. New York: Marcel Dekker. p 137-63.
- Jeffrey JS, Atwill ER, Hunter A. 2001. Farm and management variables linked to fecal shedding of *Campylobacter* and *Salmonella* in commercial squab production. Poultry Sci 80(1):66-70.
- Jerngklingchan J, Saitanu K. 1993. The occurrence of *Salmonellae* in bean sprouts in Thailand. Southeast Asian J Trop Med Public Health 24(1):114-8.
- Jilbert WR. 1988. Quality control and sanitation aspects of fresh squeezed citrus juice processing. In: Matthews RF, editor. Food industry short course proceedings. Gainesville (FL): Florida IFT and University of Florida Extension Service.
- Johnson GI, Boag TS, Cooke AW, Izard M, Panitz M, Sangchote S. 1990. Interaction of post harvest disease control treatments and gamma irradiation on mangoes. Ann Appl Biol 116:245-57.
- Jones F, Smith P, Watson DC. 1978. Pollution of a water supply catchment by breeding gulls and the potential environmental health implications. J Institution of Water Engineers and Scientists 32:469-82.
- Jones PW, Rennison LM, Lewin VH, Redhead DL. 1980. The occurrence and significance to animal health of salmonellas in sewage and sewage sludges. J Hyg., Camb. 84:47-62.
- Jones D. 1999. Potential health risks associated with the persistence of *Escherichia coli* 0157 in agricultural environments. Soil Use & Management 15:76-83.
- Juneja VK, Martin ST, Sapers GM. 1998. Control of *Listeria monocytogenes* in vacuum-packaged pre-peeled potatoes. J Food Sci 63(5):911-4.
- Juven BJ, Pierson MD. 1996. Antibacterial effects of hydrogen peroxide and methods for its detection and quantitation. J Food Prot 59(11):1233-41.
- Kader AA, editor. 1992. Postharvest technology of horticultural crops. 2nd ed. Oakland (CA): University of California, Division of Agriculture and Natural Resources. 304 p.
- Kader AA, Ben-Yehoshua S. 2000. Effects of superatmospheric oxygen levels on postharvest physiology and quality of fresh fruits and vegetables. Postharvest Biol Technol 20:1-13.
- Kaess G, Weidemann JF. 1968. Ozone treatment of chilled beef. J Food Technol 3:325-33.
- Kakiomenou K, Tassou C, Nychas G-J. 1998. Survival of *Salmonella enteritidis* and *Listeria monocytogenes* on salad vegetables. World J Microbiol Biotechnol 14:383-7.
- Kallander KD, Hitchens AD, Lancette GA, Schmiege JA, Garcia GR, Solomon HM, Sofos JN. 1991. Fate of *Listeria monocytogenes* in shredded cabbage stored at 5 and 25 degrees C under a modified atmosphere. J Food Prot 54(4):302-4.
- Kapperud G, Rorvik LM, Hasseltvedt V, Hoiby EA, Iversen BG, Staveland K, Johnsen G, Leitao J, Herikstad H, Andersson Y and others. 1995. Outbreak of *Shigella sonnei* infection traced to imported iceberg lettuce. J Clin Microbiol 33(3):609-14.
- Karapinar M, Gonul SA. 1992. Removal of *Yersinia enterocolitica* from fresh parsley by washing with acetic acid or vinegar. Int J Food Microbiol 16:261-4.
- Katznelson E, Teltch B, Shual HI. 1977. Spray irrigation with wastewater: the problem of aerosolization and dispersion of enteric microorganisms. Prog Wat Technol 9:1-11.
- Kaufman PR, Handy CR, McLaughlin EW, Park K, Green GM. 2000 Aug. Understanding the dynamics of produce markets: consumption and consolidation grow. USDA, Economic Research Service [Agriculture Information Bulletin No. 758]. <<http://www.ers.usda.gov/publications/aib758/aib758.pdf>>. Accessed 2001 Aug 24.
- Kenney SJ, Burnett SL, Beuchat LR. 2001. Location of *Escherichia coli* 0157:H7 on and in apples as affected by bruising, washing, and rubbing. J Food Prot 64(9):1328-33.
- Killham K. 1995. Soil Ecology. Cambridge University Press.
- Kim JG, Yousef AE, Chism GW. 1999. Use of ozone to inactivate microorganisms on lettuce. J Food Safety 19:17-34.
- Kim JG, Yousef AE, Dave S. 1999. Application of ozone for enhancing the microbiological safety and quality of foods: a review. J Food Prot 62(9):1071-87.
- King AD, Jr, Michener HD, Bayne HG, Mihara KL. 1976. Microbial studies on shelf life of cabbage and coleslaw. Appl Environ Microbiol 31:3.
- Kirov SM. 1997. *Aeromonas*. In: Hocking AD, Arnold G, Jensen I, Newton K, Sutherland P, editors. Foodborne microorganisms of public health significance. Tempe, Australia: Trenear Printing Service Pty. Ltd. p 474-92.
- Kobayashi M, Sasaki T, Saito N, Tamura K, Suzuki K, Watanabe H, Agui N. 1999. Houseflies: not simple mechanical vectors of enterohemorrhagic *Escherichia coli* 0157:H7. Amer J Tropical Medicine and Hygiene 61(4):625-9.
- Koelsch C. 1994. Edible water vapor barriers: properties and promise. Trends Food Sci Technol 5:76-81.
- Konowalchuk J, Speirs JI. 1974. Recovery of coxsackievirus B5 from stored lettuce. J Milk Food Technol 37:132-4.
- Konowalchuk J, Speirs JI. 1975. Survival of enteric viruses on fresh vegetables. J Milk Food Technol 38:469-72.
- Korich DG, Mead JR, Madore MS, Sinclair NA, Sterling CR. 1990. Effects of ozone, chlorine dioxide, chlorine, and monochloramine on *Cryptosporidium parvum* oocyst viability. Appl Environ Microbiol 56(5):1423-8.
- Kornacki JL, Johnson JL. 2001. *Enterobacteriaceae*, Coliforms, and *Escherichia coli* as quality and safety indicators. In: Downes FP, Ito K, editors. Compendium of methods for the microbiological examination of foods. Washington: American Public Health Association. p 69-82.
- Korsten L, De Jager ES, De Villiers EE, Lourens A, Kotze JM, Wehner FC. 1995. Evaluation of bacterial epiphytes isolated from avocado leaf and fruit surfaces for biocontrol of avocado postharvest disease. Plant Dis 79:1149-56.
- Koumans EHA, Katz DJ, Malecki JM, Kumar S, Wahlquist SP, Arrowood MJ, Hightower AW, Herwaldt BL. 1998. An outbreak of cyclosporiasis in Florida in 1995: a harbinger of multistate outbreaks in 1996 and 1997. J Trop Med Hyg 59:235-42.
- Kovacs F, Tamasi G. 1979. Survival times of bacteria in liquid manure. Acta Veterinaria Academiae Scientiarum Hungaricae 27:47-54.
- Kristofferson T. 1958. Mode of action of hypochlorite sanitizers with and without sodium bromide. J Dairy Sci 41:942-9.
- Krochta JM, De Mulder-Johnston C. 1997. Edible and biodegradable polymer films: challenges and opportunities [Scientific Status Summary]. Food Technol 51(2):61-74.
- Kudva IT, Blanch K, Hawde or Hovde CJ. 1998. Analysis of *Escherichia coli* 0157:H7 survival in ovine or bovine manure and manure slurry. Appl Environ Microbiol 64(9):3166-74.
- Kvenberg J. 1999. Report of the NACMCF qualified through verification working group. Personal communication. (cited in Anonymous 2000).
- Lacey RW. 1979. Antibacterial activity of providone iodine towards non-spore-forming bacteria. J Appl Bacteriol 46:443-9.
- Laegreid WW, Elder RO, Keen JE. 1999. Prevalence of *Escherichia coli* 0157: H7 in range beef calves at weaning. Epidemiol Infect 123(291-8).
- Lang MM, Ingham BH, Ingham SC. 2000. Efficacy of novel organic acid and hypochlorite treatments for eliminating *Escherichia coli* 0157:H7 from alfalfa seeds prior to sprouting. Int J Food Microbiol 58:73-82.
- Langerak DI. 1978. The influence of irradiation and packaging on the quality of prepacked vegetables. Ann Nutr Aliment 32:569-86.
- Larson AE, Johnson EA, Barmore CR, Hughes MD. 1997. Evaluation of the botulism hazard from vegetables in modified atmosphere packaging. J Food Prot 60(10):1208-14.
- Larson AE, Johnson EA. 1999. Evaluation of botulinum toxin production in packaged fresh-cut cantaloupe and honeydew melons. J Food Prot 62(8):948-52.
- Lawrence CA, Carpenter CM, Naylor-Foote AWC. 1957. Iodophors as disinfectants. J Am Pharm Assoc 46:500-5.
- LeBlanc DJ, Stark R, MacNeil B, Goguen B, Beaulieu C. 1996. Perishable food temperatures in retail stores. In: New Developments in Refrigeration for Food Safety and Quality, Refrigeration Science and Technology Proceedings of the Meeting of Commission C2, with Commissions B2, D1, and D2-3; 1996 Oct 2-4; Lexington (KY). Paris: International Institute of Refrigeration. p 42-51.
- Lee L, Arul J, Lencki R, Castaigne F. 1995. A review on modified atmosphere packaging and preservation of fresh fruits and vegetables: physiological basis and practical aspects—part 1. Packaging Technol Sci 8:315-31.
- Lee L, Arul J, Lencki R, Castaigne F. 1996. A review on modified atmosphere packaging and preservation of fresh fruits and vegetables: physiological basis and practical aspects—part 2. Packaging Technol Sci 9:1-17.
- Lee DS, Hwang YI, Cho SH. 1998. Developing antimicrobial packaging film for curled lettuce and soybean sprouts. Food Science Biotechnology 7:117-21.
- Leibinger W, Breuker B, Hahn M, Mendgen K. 1997. Control of postharvest pathogens and colonization of the apple surface by antagonistic microorganisms in the field. Phytopathology 87(11):1103-10.
- Leistner L, Gorris LGM. 1995. Food preservation by hurdle technology. Trends Food Sci Technol 6:41-6.
- Leistner L. 2000. Basic aspects of food preservation by hurdle technology. Intl J Food Microbiol 55:181-6.
- Leverentz B, Conway WS, Alavidze Z, Janisiewicz WJ, Fuchs Y, Camp MJ, Chighladze E, Sulakvelidze A. 2001. Examination of bacteriophage as a biocontrol method for *Salmonella* on fresh-cut fruit: a model study. J Food Prot 64(8):1116-21.
- Levesque B, Brousseau P, Simard P, Dewailly E. 1993. Impact of ring-billed gull (*Larus delawarensis*) on the microbiological quality of recreational water. Appl Environ Microbiol 59(4):1228-30.
- Li Y, Brackett RE, Chen J, Beuchat LR. 2001. Survival and growth of *Escherichia coli* 0157:H7 inoculated onto cut lettuce before or after heating in chlorinated water, followed by storage at 5 °C or 15 °C. J Food Prot 64(3):305-9.
- Liao CH. 1989. Antagonism of *Pseudomonas putida* strain PP22 to phytopathogenic bacteria and its potential use as a biocontrol agent. Plant Dis 73:223-6.
- Liao C-H, Sapers GM. 1999. Influence of soft rot bacteria on growth of *Listeria monocytogenes* on potato tuber slices. J Food Prot 62(4):343-8.
- Liao C-H, Sapers GM. 2000. Attachment and growth of *Salmonella* chester on apple fruit and in vivo response of attached bacteria to sanitizer treatments. J Food Prot 63(7):876-83.
- Libero A. 1989. Hygienic and health aspects of peach tree irrigation with waste water at different treatment stages. Irrigazione e Drenaggio 36:51-8.
- Liew CL, Prange RK. 1994. Effect of ozone and storage temperature on postharvest diseases and physiology of carrots (*Caucus carota* L.). J Am Soc Hortic Sci 119:563-7.
- Lilly T, Solomon HM, Rhodehamel EJ. 1996. Incidence of *Clostridium botulinum* in vegetables packaged under vacuum or modified atmosphere. J Food Prot 59(1):59-

List of References

- 61.
- Lin C-M, Fernando SY, Wei CI. 1996. Occurrence of *Listeria monocytogenes*, *Salmonella* spp., *Escherichia coli* and *E. coli* O157:H7 in vegetable salads. *Food Control* 7:135-40.
- Lin C-M, Kim J, Du W-X, Wei C-I. 2000. Bactericidal activity of isothiocyanate against pathogens on fresh produce. *J Food Prot* 63(1):25-30.
- Lis-Balchin M, Hart S, Deans SG, Eaglesham E. 1996. Comparison of the pharmacological and antimicrobial action of commercial plant essential oils. *J Herbs Spices Medic Plants* 4:69-86.
- Little C, Roberts D, Youngs E, de Louvois J. 1999. Microbiological quality of retail imported unprepared whole lettuces: a PHLS Food Working Group Study. *J Food Prot* 62(4):325-8.
- Littlefield NA, Wankier BN, Salunkhe DK, McGill JN. 1996. Fungistatic effects of controlled atmospheres. *Appl Microbiol* 14(4):579-81.
- Litwak D. 1998 Oct. Is bigger better? *Supermarket Business* (New York, NY).
- Lopez LV, Romero JR, Urbina J. 1988. Eficiencia de desinfectantes en vegetales y frutas. *Alimentos* 13:25-30.
- Lowings PH, Curts DF. 1982. The preservation of fresh fruits and vegetables. In: 52 Proc Inst Food Sci Tech Ann Symp; Nottingham (UK).
- Lowry PW, Levine R, Stroup DF, Gunn RA, Wilder MH, Konigsberg C. 1989. Hepatitis A outbreak on a floating restaurant in Florida, 1986. *Am J Epidemiol* 129:155-64.
- Lu JY, Lukombo SM, Stevens C, Khan VA, Wilson CL, Pusey PL, Chaultz E. 1993. Low dose UV and gamma radiation on storage rot and physicochemical changes in peaches. *J Food Qual* 16:301-9.
- Lubke U. 1995. Microorganisms for controlled composting of organic materials. In: Proceedings of the "4th International Conference on Kyusei Nature Farming"; Paris.
- Luechtefeld N, Blaser M, Reller L, Wang W. 1980. Isolation of *Campylobacter fetus* subsp. *jejuni* from migratory wildfowl. *J Clin Microbiol* 12:406-8.
- Lund BM, Peck MW. 2000. *Clostridium botulinum*. In: Lund BM, Baird-Parker TC, Gould GW, editors. The microbiological safety and quality of food. Gaithersburg (MD): Aspen. p 1057-109.
- Lund BM, Snowden AL. 2000. Fresh and processed fruits, Chapter 27. In: Lund BM, Baird-Parker TC, Gould GW, editors. The microbiological safety and quality of food, Volume I. Gaithersburg (MD): Aspen. p 738-58.
- Lynch JM, Poole NJ, editors. 1979. *Microbial Ecology: a conceptual approach*. New York: Wiley. 266 p.
- Lytle CD, Truscott W, Budacz AP, and others. 1991. Important factors for testing barrier materials with surrogate viruses. *Appl Environ Microbiol* 57:2549-54. (cited in Mossel and others 1995).
- MacGowan AP, Bowker K, McLauchlin J, Bennett PM, Reeves DS. 1994. The occurrence and seasonal changes in the isolation of *Listeria* spp. in shop bought food stuffs, human faeces, sewage and soil from urban sources. *Int J Food Microbiol* 21:325-34.
- Madden JM. 1992. Microbial pathogens in fresh produce—the regulatory perspective. *J Food Prot* 55(10):821-3.
- Mahon BE, Ponka A, Hall WN, Komatsu K, Dietrich SE, Siitonen A, Cage G, Lambert-Fair MA, Hayes PS, Bean NH and others. 1997. An international outbreak of *Salmonella* infections caused by alfalfa sprouts grown from contaminated seeds. *J Infect Dis* 175:876-82.
- Malizio CJ, Johnson EA. 1991. Evaluation of the botulism hazard from vacuum-packaged enoki mushrooms [*Flammulina velutipes*]. *J Food Prot* 54(1):20-1.
- Marchetti R, Casadei MA, Guerzoni ME. 1992. Microbial population dynamics in ready-to-use vegetable salads. *Ital J Food Sci* 2:97-108.
- Marcotte M. 1992. Irradiated strawberries enter the U.S. market. *Food Technol* 46(5):80-6.
- Marriott NG. 1999. *Principles of Food Sanitation*. 4th ed. Gaithersburg (MD): Aspen. p 147-9.
- Martin DL, Gustafson TL, Pelosi JW, Suarez L, Pierce GV. 1986. Contaminated produce—a common source for two outbreaks of *Shigella gastroenteritis*. *Am J Epidemiol* 124(2):299-305.
- Mason DF; 1969. Fruit preservation process. U.S. patent 3,472,662.
- Masson RB. 1990. Recherche de nouveaux désinfectants pour les produits de 4eme gamme. In: Proc Congress Produits de 4eme Gamme et de 5eme Gamme; Brussels. C.E.R.I.A. p 101.
- Mattick KL, Jorgensen F, Legan JD, Lappin-Scott HM, Humphrey TJ. 2000. Habituation of *Salmonella* spp. at reduced water activity and its effect on heat tolerance. *Appl Environ Microbiol* 66:4921-5.
- Maule A. 2000. Survival of verocytotoxigenic *Escherichia coli* O157 in soil, water and on surfaces. *J Appl Microbiol Symp Suppl* 88(Symp Suppl):71S-8S.
- Mawdsley JL, Brooks AE, Merry RJ. 1996. Movement of the protozoan pathogen *Cryptosporidium parvum* through three contrasting soil types. *Biology and fertility of soils* 21(1/2):30-6.
- Maxie EC, Sommer NF, Mitchell FG. 1971. Infeasibility of irradiating fresh fruits and vegetables. *Hort Sci* 6:202-4.
- Mazollier Jr. 1988. I've gamme. Lavage-desinfection des salades. *Infros-Ctifl* 41:19.
- McCaskey TA, Jaleel MA. 1975. Survival of *Salmonella typhimurium* in dairy cow waste. *J Dairy Sci* 58:766.
- McGee P, Bolton DJ, Sheridan JJ, Earley B, Leonard N. 2001. The survival of *Escherichia coli* O157:H7 in slurry from cattle fed different diets. *Letts Appl Microbiol* 32(3):152-5.
- Meheriuk M, Lau OI. 1988. Effect of two polymeric coatings on fruit quality of 'Bartlett' and d'Anjou' pears. *J Amer Soc Hort Sci* 113:222-6.
- Meikle A, Amin-Hanjani S, Glover LA, Killham K, Prosser JI. 1995. Matric potential and the survival and activity of a *Pseudomonas fluorescens* inoculum in soil. *Soil Biology & Biochemistry* 27(7):881-92.
- Merson MH, Morris GK, Sack DA, Wells JE, Feeley JC, Sack RB, Creech WB, Kapikian AZ, Gangarosa EJ. 1976. Travelers' diarrhea in Mexico. *N Engl J Med* 294:1299-305.
- Millard PS, Gensheimer KF, Addiss DG, Sosin DM, Beckett GA, Houck-Jankoski A, Hudson A. 1994. An outbreak of cryptosporidiosis from fresh-pressed apple cider. *JAMA* 272(20):1592-6.
- Miller WR, Spalding DH, Risse LA, Chew V. 1984. The effects of an imazalil-impregnated film with chlorine and imazalil to control decay of bell peppers. *Proc Florida State Hort Soc* 97:108-11.
- Mintz ED, Hudson-Wragg M, Mshar P, Cartter ML, Hadler JL. 1993. Foodborne giardiasis in a corporate office setting. *J Infect Dis* 167:250-3.
- Mohle-Boetani JC, Reporter R, Werner SB, Abbott S, Farrar J, Waterman SH, Vugia DJ. 1999. An outbreak of *Salmonella* serogroup Saphra due to cantaloupes from Mexico. *J Infect Dis* 180:1361-4.
- Moleyar V, Narasimham P. 1994. Modified atmosphere packaging of vegetables: an appraisal. *J Food Sci Technol* 31(4):267-78.
- Molin G. 2000. Modified atmospheres. In: Lund BM, Baird-Parker TC, Gould GW, editors. The microbiological safety and quality of food. Gaithersburg, MA: Aspen Publishers. p 214-34.
- Monge R, Chinchilla M. 1996. Presence of *Cryptosporidium* oocysts in fresh vegetables. *J Food Prot* 59(2):202-3.
- Monk JD, Beuchat LR, Doyle MP. 1995. Irradiation inactivation of food-borne microorganisms. *J Food Prot* 58:197-208.
- Mori T, Sakimoto M. 1999. A high temperature-composting of cattle feces by intermittent aeration for heat killing of *Escherichia coli*. *Bulletin of Osaka Prefectural Agricultural and Forestry Research Center* 1999(35):60-3.
- Morse DL, Pickard LK, Guzewich JJ, Devine BD, Shayegani M. 1990. Garlic-in-oil associated botulism: episode leads to product modification. *Am J Pub Health* 80(11):1372-3.
- Mosley EB, Elliker PR, Hays H. 1976. Destruction of food spoilage indicator and pathogenic organisms by various germicides in solution and on a stainless steel surface. *J Milk Food Technol* 39:830-6.
- Mossel DAA, Stegeman H. 1985. Irradiation: An effective mode of processing food for safety. In: *Food Irradiation Processing*. Proc Int Symp on Food Irrad Processing; 1985 March 4-8; Washington. International Atomic agency for Food and Agriculture Organization of the United Nations. p 251-79.
- Mossel DAA, Corry JEL, Struijk CB, Baird RM. 1995. *Essentials of the microbiology of foods: a textbook for advanced studies*. Chichester (England): John Wiley & Sons. 287-9 p.
- Moy JH. 1983. Radurization and radication: fruits and vegetables. In: Josephson ES, Peterson MS, editors. *Preservation of food by ionizing radiation*. Boca Raton (FL): CRC Pr. p 83-108.
- Murdock DI, Brokaw CH. 1958. Sanitary control in processing citrus concentrates: some specific sources of microbial contamination from fruit bins to extractors. *Food Technol* 12:573-6.
- Murray DG, Luft LR. 1973. Low D.E. corn starch hydrolysates. *Food Technol* 27:32-40.
- [NACMCF] National Advisory Committee on Microbiological Criteria for Foods. 1999. *Microbiological safety evaluations and recommendations on fresh produce*. *Food Control* 10:117-43.
- National Organic Program, 7 C.F.R. § 205 (2001).
- National Pollutant discharge elimination system, 40 C.F.R. § 122 (2001).
- Nelson LB, Uhlend RE. 1955. Factors that influence loss of fall-applied fertilizers and their probable importance in different sections of the United States. *Soil Science Society of America Journal* 17:245-68.
- Nguyen-the C, Prunier JP. 1989. Involvement of pseudomonads in the deterioration of "ready-to-use" salads. *Int J Food Sci Technol* 24:47.
- Nguyen-the C, Lund BM. 1991. The lethal effect of carrot on *Listeria* species. *J Appl Bacteriol* 70:479-88.
- Nguyen-the C, Lund BM. 1992. An investigation of the antibacterial effect of carrot on *Listeria monocytogenes*. *J Appl Bacteriol* 73:23-30.
- Nguyen-the C, Carlin F. 1994. The microbiology of minimally processed fresh fruits and vegetables. *Crit Rev Food Sci Nutr* 34(4):371-401.
- Nguyen-the C, Carlin F. 2000. Fresh and processed vegetables. In: Lund BM, Baird-Parker TC, Gould GW, editors. *The microbiological safety and quality of food*. Gaithersburg (MD): Aspen. p 620-84.
- Nichols AA, Davies PA, King KP, Winter EJ, Blackwall FLC. 1971. Contamination of lettuce irrigated with sewage effluent. *J Hort Sci* 46(4):425-33.
- Niewolak S, Tucholski S. 1999. The effect of meadow irrigation with biologically treated sewage on the occurrence of micro-organisms indicative of pollution and sanitary state and of potentially pathogenic bacteria in grass. *Polish J Environ Studies* 8:39-46.
- Nisperos MO, Baldwin EA. 1988. Effect of two types of edible films on tomato fruit ripening. *Proc Florida State Hort Soc* 101:217-20.
- Nisperos-Carriedo MO, Shaw PE, Baldwin EA. 1990. Changes in volatile flavor components of pineapple orange juice as influenced by the application of lipid and composite films. *J Agric Food Chem* 38:1382-7.
- Niu MT, Polish LB, Robertson BH, Khanna BK, Woodruff BA, Shapiro CN, Miller MA,

IFT/FDA Report on Task Order 3

- Smith JD, Gedrose JK, Alter MJ and others. 1992. Multistate outbreak of hepatitis A associated with frozen strawberries. *J Inf Dis* 166:518-24.
- Notermans S, Dufrenne J, Gerrits JPG. 1989. Natural occurrence of *Clostridium botulinum* on fresh mushrooms (*Agaricus bisporus*). *J Food Prot* 52(10):733-6.
- [NRC] National Research Council. 1996. Use of reclaimed water and sludge in food crop production. Washington (DC): National Academy Pr.
- Obiri-Danso K, Paul N, Jones K. 2001. The effects of UVB and temperature on the survival of natural populations and pure cultures of *Campylobacter jejuni*, *Camp. coli*, *Camp. lari* and urease-positive thermophilic campylobacters (UPTC) in surface waters. *J Appl Microbiol* 90:256-67.
- O'Brien RD, Lindow SE. 1988. Effect of plant species and environmental conditions on epiphytic population sizes of *Pseudomonas syringae* and other bacteria. *Phytopathol* 79:619-27.
- Odlaug TE. 1981. Antimicrobial activity of halogens. *J Food Prot* 44(8):608-13.
- Odumeru JA, Mitchell SJ, Alves DM, Lynch JA, Yee AJ, Wang SL, Styliadis S, Farber JM. 1997. Assessment of the microbiological quality of ready-to-use vegetables for health-care food services. *J Food Prot* 60(8):954-60.
- Ogg J, Ruder R, Smith HL. 1989. Isolation of *Vibrio cholerae* from aquatic birds in Colorado and Utah. *Appl Environ Microbiol* 55:95-9.
- Olson ME, Goh J, Phillips M, Guselle N, McAllister TA. 1999. *Giardia* cyst and *Cryptosporidium* oocyst survival in water, soil, and cattle feces. *J Environ Quality* 28(6):1991-6.
- Organic Foods Production Act of 1990, 7 U.S.C. § 6501 et seq.
- O'Mahoney M, Cowden J, Smyth B, Lynch D, Hall M, Rowe B, Teare EL, Tettmar RE, Rampling AM, Coles M and others. 1990. An outbreak of *Salmonella saint-paul* infection associated with beansprouts. *Epidemiol Infect* 104:229-35.
- Ortenzio LF, Stuart LS. 1964. A standard test for efficacy of germicides and acceptability of residual disinfecting activity in swimming pool water. *J Assoc Off Agric Chem* 47:540-7.
- Padgett T, Han IV, Dawson PL. 1998. Incorporation of food-grade antimicrobial compounds into biodegradable packaging films. *J Food Prot* 61(10):1330-5.
- Pagan R, Jordan S, Benito A, Mackey B. 2001. Enhanced acid sensitivity of pressure-damaged *Escherichia coli* O157 cells. *Appl Environ Microbiol* 67:1983-5.
- Pao S, Brown GE, Schneider KR. 1998. Challenge studies with selected pathogenic bacteria on freshly peeled hamlin orange. *J Food Sci* 63(2):359-62.
- Pao S, Davis CL. 1999. Enhancing microbiological safety of fresh orange juice by fruit immersion in hot water and chemical sanitizers. *J Food Prot* 62(7):756-60.
- Pao S, Davis CL, Kelsey DF, Petracek PD. 1999. Sanitizing effects of fruit waxes at high pH and temperature on orange surfaces inoculated with *Escherichia coli*. *J Food Sci* 64(2):359-62.
- Pao S, Davis CL, Kelsey DF. 2000. Efficacy of alkaline washing for the decontamination of orange fruit surfaces inoculated with *Escherichia coli*. *J Food Prot* 63(7):961-4.
- Pao S, Davis CL, Parish ME. 2001. Microscopic observation and processing validation of fruit sanitizing treatments for the enhanced microbiological safety of fresh orange juice. *J Food Prot* 64(3):310-4.
- Paquet PE. 1923. Epidemie de fièvre typhoïde: Déterminée par la consommation de petit cidre. *Revue d'Hygiène* 45:165-9.
- Parish ME, Davidson PM. 1993. Methods for evaluation. In: Davidson PM, Branen AL, editors. *Antimicrobials in Foods*. New York: Marcel Dekker.
- Parish ME. 1997. Public health and nonpasteurized fruit juices. *Crit Rev Microbiol* 23(2):109-19.
- Parish ME, Narciso JA, Friedrich LM. 1997. Survival of *Salmonellae* in orange juice. *J Food Safety* 17:273-81.
- Parish ME. 1998. Coliforms, *Escherichia coli* and *Salmonella* serovars associated with a citrus-processing facility implicated in a salmonellosis outbreak. *J Food Prot* 61(3):280-4.
- Park CE, Sanders GW. 1992. Occurrence of thermotolerant campylobacters in fresh vegetables sold at farmers' outdoor markets and supermarkets. *Can J Microbiol* 38(4):313-6.
- Park HJ, Chinnan MS, Shewfelt RL. 1994. Edible coating effects on storage life and quality of tomatoes. *J Food Sci* 59(3):568-70.
- Park CM, Beuchat LR. 1999. Evaluation of sanitizers for killing *Escherichia coli* O157:H7, *Salmonella* and naturally occurring microorganisms on cantaloupes, honeydew melons, and asparagus. *Dairy Food Environ Sanit* 19:842-7.
- Park HJ. 1999. Development of advanced edible coatings for fruits. *Trends Food Sci Technol* 10:254-60.
- Parry RT. 1993. Introduction. In: Parry RT, editor. *Principles and applications of MAP of foods*. New York, USA: Blackie Academic and Professional. p 1-18.
- Payment P, Franco E. 1993. *Clostridium perfringens* and somatic coliphages as indicators of the efficiency of drinking water treatment for viruses and protozoan cysts. *Appl Environ Microbiol* 59:2418-24. (cited in Mossel and others 1995).
- Peeters JE, Ares Mazas E, Masschelein WJ, Villacorta Martinez de Maturana I, Debacker E. 1989. Effect of disinfection of drinking water with ozone or chlorine dioxide on survival of *Cryptosporidium parvum* oocysts. *Appl Environ Microbiol* 55(6):1519-22.
- Peters DL. 1995. Control of enteric pathogenic bacteria on fresh produce [Master of Science]. Lincoln: Univ of Nebraska Graduate College.
- Petran RL, Sperber WH, Davis AR. 1995. *Clostridium botulinum* toxin formation in romaine lettuce and shredded cabbage: effect of storage and packaging conditions. *J Food Prot* 58:624-7.
- Phillips CA. 1996. Review: modified atmosphere packaging and its effects on the microbiological quality and safety of produce. *Int J Food Sci Technol* 31:463-79.
- [PHLS] Public Health Laboratory System. 2001 June 28. *Salmonella* Newport infection in England associated with the consumption of ready to eat salad. *Eurosurveillance Weekly* 2001(26).
- Piagentini AM, Pirovani ME, Guemes DR, Di Pentima JH, Tessi MA. 1997. Survival and growth of *Salmonella hadar* on minimally processed cabbage as influenced by storage abuse conditions. *J Food Sci* 62:616-8.
- Plymm-Forsshell L, Ekesbo I. 1993. Survival of salmonellas in composted and not composted solid animal manures. *J Vet Med Bull* 40:654-8.
- Plymm-Forsshell L, Ekesbo I. 1996. Survival of salmonellas in urine and dry feces from cattle—an experimental study. *Acta Vet Scand* 37:127-31.
- [PMA] Produce Marketing Association. 2000. Organic fresh produce industry [Fact Sheet]. Newark (DE): PMA. 8 p. Available from: P.O. Box 6036, Newark, DE, USA, 19714-6036; (302)738-7100; www.pma.com.
- Ponka A, Andersson Y, Siitonen A, de Jong B, Johhola M, Halkala O, Kuhmonan A, Pakkala P. 1995. *Salmonella* in alfalfa sprouts. *Lancet* 345:462-3.
- Porter J, Mobles K, Saunders JR, Pickup RW, Edwards C. 1997. Detection, distribution and probable fate of *E. coli* O157:H7 from asymptomatic cattle on a dairy farm. *J Appl Microbiol* 83:297-306.
- Portnoy BL, Goepfert JM, Harmon SM. 1976. An outbreak of *Bacillus cereus* food poisoning resulting from contaminated vegetable sprouts. *Am J Epidemiol* 103(6):589-94.
- Porto E, Eiroa M. 2001. Occurrence of *Listeria monocytogenes* in vegetables. *Dairy, Food Environ Sanitat* 21:282-6.
- Postel SL. 2000. Water and world population growth. *Journal of AWWA* 92:131-8.
- Powrie WD, Skura BJ. 1991. Modified atmosphere packaging of fruits and vegetables. In: Ooraikul B, Stiles ME, Horwood E, editors. *Modified atmosphere packaging of food*. New York, USA: Publisher unknown. p 169-245.
- Preston M, Davidson R, Harris S, Thususka J, Goldman C, Green K, Low D, Proctor P, Johnson W, Khakhria R. 1997. Hospital outbreak of *Escherichia coli* O157:H7 associated in a rare phage type—Ontario. *Can Comm Dis Rep* 23:33-7.
- Priepke PE, Wei LS, Nelson AI. 1976. Refrigerated storage of prepackaged salad vegetables. *J Food Sci* 41:379-82.
- Prokopowich D, Blank G. 1991. Microbiological evaluation of vegetable sprouts and seeds. *J Food Prot* 54(7):560-2.
- Radi MH, Shoukry M, Hafez GA. 1988. Evidence for biological mode of transmission of enteric bacteria by *Musca domestica sorbens*. *J Egyptian Soc Parasitology* 18:457-62.
- Rafii F, Lunsford P. 1997. Survival and detection of *Shigella flexneri* in vegetables and commercially prepared salads. *J AOAC Int* 80(6):1191-7.
- Raghavan GSV, Alvo P, Garipey Y, Vigneault C. 1996. Refrigerated and controlled modified atmosphere storage. In: Somogyi LP, Ramaswamy HS, Hui YH, editors. *Processing fruits: science and technology*. Lancaster, PA: Technomic. p 135-67.
- Rahn K, Renwick SA, Johnson RP, Wilson JB, Clarke RC, Alves D, McEwen S, Lior H, Spika J. 1997. Persistence of *Escherichia coli* O157:H7 in dairy cattle and dairy farm environment. *Epidemiol Infect* 119(2):251-9.
- Rajkowski KT, Thayer DW. 2000. Reduction of *Salmonella* spp. and strains of *Escherichia coli* O157:H7 by gamma radiation of inoculated sprouts. *J Food Prot* 63(7):871-5.
- Ramsay CN, Upton PA. 1989 Jan 7. Hepatitis A and frozen raspberries. *Lancet* 1(8628):43-4.
- Ray B. 1989. Injured index and pathogenic bacteria: occurrence and detection in foods, water and feeds. Boca Raton (FL): CRC Pr.
- Reid TMS, Robinson HG. 1987. Frozen raspberries and hepatitis A. *Epidem Inf* 98:109-12.
- Reina LD, Fleming HP, Humphries EG. 1995. Microbiological control of cucumber hydrocooling water with chlorine dioxide. *J Food Prot* 58(5):541-6.
- Restaino L, Frampton EW, Hemphill JB, Palmnikar P. 1995. Efficacy of ozonated water against various food-related microorganisms. *Appl Environ Microbiol* 61(9):3471-5.
- Richert KJ, Albrecht JA, Bullerman LB, Sumner SS. 2000. Survival and growth of *Escherichia coli* O157:H7 on broccoli, cucumber, and green pepper. *Dairy Food Environ Sanit* 20(1):24-8.
- Rickle SC, Pillai SD, Widmer KW, Ha SD. 1995. Survival of *Salmonella typhimurium* in soil and liquid microcosms amended with clinoptilolite compounds. *Bioresource Technol* 53:1-6.
- Riemann H, Himathongkham S, Willoughby D, Tarbell R, Breitmeyer R. 1998. A survey for *Salmonella* by drag swabbing manure piles in California egg ranches. *Avian Diseases* 42:67-71.
- Roberts RG, Reymond ST. 1994. Chlorine dioxide for reduction of postharvest pathogen inoculum during handling of tree fruits. *Appl Environ Microbiol* 60(8):2864-8.
- Robinson I, Adams RP. 1978. Ultra-violet treatment of contaminated irrigation water and its effect on the bacteriological quality of celery at harvest. *J Appl Bacteriol* 45:83-90.
- Rooney M. 2000. Active and intelligent packaging of fruit and vegetables. In: Day BPF, editor. *Proceedings of the International Conference on Fresh-Cut Produce; 1999 Sept 9-10; Chipping Campden, Glos. (UK)*. Campden & Chorleywood Food Research Association.
- Rose JB, Gerba CP. 1991. Use of risk assessment for development of microbial standards. *Wat Sci Technol* 24:29-34.
- Rose JB, Daeschner S, Easterling DR, Curriero FC, Lele S, Patz JA. 2000. Climate and waterborne disease outbreaks. *J of AWWA* 92:77-87.

List of References

- Rosenblum LS, Mirkin IR, Allen DT, Safford S, Hadler SC. 1990. A multifocal outbreak of hepatitis A traced to commercially distributed lettuce. *AJPH* 80(9):1075-9.
- Rude RA, Jackson GJ, Bier JW, Sawyer TK, Risty NG. 1984. Survey of fresh vegetables for nematodes, amoebae, and *Salmonella*. *J AOAC Int* 67:613-5.
- Saddik MF, El-Sherbeeney MR, Bryan FL. 1985. Microbiological profiles of Egyptian raw vegetables and salads. *J Food Prot* 48(10):883-6.
- Sado PN, Jinneman KC, Husby GJ, Sorg SM, Omiecinski CJ. 1998. Identification of *Listeria monocytogenes* from unpasteurized apple juice using rapid test kits. *J Food Prot* 61(9):1199-202.
- Sadovoski A, Fattal YB, Goldberg D. 1978. Microbial contamination of vegetables irrigated with sewage effluent by the drip method. *J Food Prot* 41:336-40.
- Safe Drinking Water Act of 1974, 42 U.S.C. § 300F et seq.
- Sapers GM, Simmons GF. 1998. Hydrogen peroxide disinfection of minimally processed fruits and vegetables. *Food Technol* 52(2):48-52.
- Sapers GM, Miller RL, Mattrazzo AM. 1999. Effectiveness of sanitizing agents in inactivating *Escherichia coli* in golden delicious apples. *J Food Sci* 64(4):734-7.
- Sarig P, Zahavi T, Zutkhi Y, Yannai S, Lisker N, Ben-Arie R. 1996. Ozone for control of postharvest decay of table grapes caused by *Rhizopus stolonifer*. *Physiol Mol Plant Pathol* 48:403-15.
- Satchell FB, Stephenson P, Andrews WH, Estela L, Allen G. 1990. The survival of *Shigella sonnei* in shredded cabbage. *J Food Prot* 53(7):558-62.
- Schelch WF, Lavigne PM, Bortolussi RA, Allen AC, Haldane EV, Wort AJ, Hightower AW, Johnson SE, King SH, Nicholls ES and others. 1983. Epidemic listeriosis—evidence for transmission by food. *New Engl J Med* 308:203-6.
- Senesi E, Prinzivalli C, Sala M, Gennari M. 2000. Physicochemical and microbiological changes in fresh-cut green bell peppers as affected by packaging and storage. *Ital J Food Sci* 12:55-64.
- Senter SD, Cox NA, Bailey JS, Forbus Jr. WR. 1985. Microbiological changes in fresh market tomatoes during packing operations [a research note]. *J Food Sci* 50:254-5.
- Seo KH, Frank JF. 1999. Attachment of *Escherichia coli* O157:H7 to lettuce leaf surface and bacterial viability in response to chlorine treatment as demonstrated by using confocal scanning laser microscopy. *J Food Prot* 62(1):3-9.
- Seymour IJ. 1999. Review of current industry practice on fruit and vegetable decontamination [review no. 14]. Gloucestershire (UK): Campden & Chorleywood Food Research Association. 1-38 p.
- Shapiro JE, Holder IA. 1960. Effect of antibiotic and chemical dips on the microflora of packaged salad mix. *Appl Microbiol* 8:341.
- Sheikh B, Cort R, Kirkpatrick W, Jaques R, Asano T. 1990 May/June. Monterey wastewater reclamation study for agriculture. *Research Journal, Water Pollution Control Federation* (Alexandria, VA) 26(3):216-26.
- Sheikh B, Cooper RC, Israel KE. 1999. Hygienic evaluation of reclaimed water used to irrigate food crops — A case study. *Wat Sci Tech* 40(4/5):261-7.
- Sheldon BW, Brown AL. 1986. Efficacy of ozone as a disinfectant for poultry carcasses and chill water. *J Food Sci* 51(2):305-9.
- Shere L, Kelley MJ, Richardson JH. 1962. Effect of bromide hypochlorite bactericides on microorganisms. *Appl Microbiol* 10:538-41.
- Shere JA, Bartlett KJ, Kaspar CW. 1998. Longitudinal study of *Escherichia coli* O157:H7 dissemination on four dairy farms in Wisconsin. *Appl Environ Microbiol* 64(4):1390-9.
- Showalter RK. 1979. Postharvest water intake by tomatoes. *Hort Sci* 14(2):125.
- Shuval HI, Guttman-Bass N, Appenbaum J, Fattal B. 1989. No title given. *Wat Sci Tech* 21:131-5.
- Shuval HI. 1993. Investigation of typhoid fever and cholera transmission by raw wastewater irrigation in Santiago, Chile. *Water Sci Technol J Int Assoc Water Pollut Res Control* 27(3/4):167-74.
- Shuval H, Lampert Y, Fattal B. 1997. Development of a risk assessment approach for evaluating wastewater reuse standards for agriculture. *Wat Sci Tech* 35(11-12):15-20.
- Singh BR, Kulshereshta SB, Kapoor KN. 1995. An orange juice borne diarrhoeal outbreak due to enterotoxigenic *Escherichia coli*. *J Food Sci Tech* 32:504-6.
- Sischo WM, Atwill ER, Lanyon LE, George J. 2000. *Cryptosporidia* on dairy farms and the role these farms may have in contaminating surface water supplies in the northeastern United States. *Preventive Veterinary Medicine* 43(4):253-67.
- Sizmur K, Walker CW. 1988. *Listeria* in prepacked salads. *Lancet*:1167.
- Smilanick JL, Denis-Arroe R. 1992. Control of green mold of lemons with *Pseudomonas* species. *Plant Dis* 76:481-5.
- Smith PJ, Jones F, Watson DC. 1978. *Salmonella* pollution of surface waters. *J Hyg Camb* 81:353-9.
- Smith BP, Dilling DW, Thurmand M. 1993. How common is *Salmonella* on dairies? In: Proc. 97th Ann. Mtg. US Animal Health Assoc.; 1993 Oct 23-9; Las Vegas (NV). Richmond (VA): U.S. Animal Health Association. p 460-2.
- Smith JP, Ramaswamy HS. 1996. Packaging of fruits and vegetables. In: Somogyi L, Ramaswamy HS, Hui YH, editors. *Processing fruits: science and technology*. Lancaster, PA: Technomic Publishing Co. p 379-427.
- Smith KA, Chalmers AG, Chambers BJ, Christie P. 1998. Organic manure phosphorus accumulation, mobility and management. *Soil Use Manage* 14 (Suppl):154-9.
- Smoot LM, Pierson MD. 1997. Indicator microorganisms and microbiological criteria. In: Doyle MP, Beuchat LR, Montville TJ, editors. *Food microbiology: fundamentals and frontiers*. Washington: American Society for Microbiology. p 66-80.
- Smoot LM, Pierson MD. 1998. Effect of environmental stress on the ability of *Listeria monocytogenes* Scott A to attach to food contact surfaces. *J Food Prot* 61:1293-8.
- Sobsey MD, Fuji T, Shields PA. 1988. Inactivation of hepatitis A virus and model viruses in water by free chlorine and monochloramine. *Wat Sci Technol* 20:385-92. (cited in Mossel and others 1995).
- Sofos JN, Beuchat LR, Davidson PM, Johnson EA. 1998. Naturally occurring antimicrobials in food. [unknown]: Council for Agric Sci Technol Task Force. Report nr 132. 103 p.
- Solid Waste Disposal Act of 1965, 42 U.S.C. § 6901 et seq.
- Solomon HM, Kautter DA. 1988. Outgrowth and toxin production by *Clostridium botulinum* in bottled chopped garlic. *J Food Prot* 51(11):862-5.
- Solomon HM, Kautter DA, Lilly T, Rhodhamel EJ. 1990. Outgrowth of *Clostridium botulinum* in shredded cabbage at room temperature under modified atmosphere. *J Food Prot* 53(10):831-3.
- Somers EB, Schoeni JL, Wong ACL. 1994. Effect of trisodium phosphate on biofilm and planktonic cells of *Campylobacter jejuni*, *Escherichia coli* O157:H7, *Listeria monocytogenes* and *Salmonella typhimurium*. *Int J Food Microbiol* 22:269-76.
- Sommer NF, Maxie EG. 1966. Recent research on the irradiation of fruits and vegetables. *Food Irradiation*. Vienna: International Atomic Energy Agency. p 571.
- Splitstoeser DF, Queale DT, Andaloro BW. 1983. The microbiology of vegetable sprouts during commercial production. *J Food Safety* 5:79-86.
- Staden OL. 1973. A review of the potential of fruit and vegetable irradiation. *Sci Hortic* 1:291-308.
- Standards for the Use or Disposal of Sewage Sludge, 40 C.F.R. § 503 (2000).
- Stanley D. 1994. Yeasts and bacteria battle decay. *Agric Res* 42(5):8-9.
- Steele BT, Murphy N, Arbus GS, Rance CP. 1982. An outbreak of hemolytic uremic syndrome associated with ingestion of fresh apple juice. *J Pediatrics* 101(6):963-5.
- Steinbruegge EG, Maxcy RB, Liewen MB. 1988. Fate of *Listeria monocytogenes* on ready to serve lettuce. *J Food Prot* 51(8):596-9.
- Stern NJ, Clavero MRS, Bailey JS, Cox NA, Robach MC. 1995. *Campylobacter* spp. in broilers on the farm and after transport. *Poultry Sci* 74:937-41.
- Strauch D. 1977. Management of hygienic problems in large animal feedlots. In: Taigandis EP, editor. *Animal Wastes*. London: Appl Science Pub.
- Styliadis S. 1993 Oct 22. *Clostridium perfringens* outbreak in Peterborough County [Public Health Epidemiol Rep]. Toronto (Ontario): Public Health Branch. Available from: Public Health Branch, Ministry of Health and Long-Term Care; 5700 Yonge St., 8th Floor, Toronto, Ontario, M2M 4K5 Canada.
- Sugiyama H, Yang KH. 1975. Growth potential of *Clostridium botulinum* in fresh mushrooms packaged in semipermeable plastic film. *Appl Microbiol* 30:964-9.
- Sundin GW, Kidambi SP, Ullrich M, Bender CL. 1996. Resistance to ultraviolet light in *Pseudomonas syringae*: sequence and functional analysis of the plasmid-encoded *ruIAB* genes. *Gene* 177:77-81.
- Sundin GW, Jacobs JL. 1999. Ultraviolet radiation (UVR) sensitivity analysis and UVR survival strategies of a bacterial community from the phyllosphere of field-grown peanut (*Arachis hypogaea* L.). *Microb Ecol* 38:27-38.
- Suslow TV. 2001. Production practices affecting the potential for persistent contamination of plants by microbial foodborne pathogens. In: Lindow SE, editor. *Phyllosphere Microbiology*. St. Paul (MN): APS Press. p 234-48. Forthcoming.
- Susman E. 1999 Sept 29. Nationwide outbreak of *Salmonella* linked to tomatoes: experts call for stricter measures to decrease spread of disease causing bacteria. *WebMD Health*. <<http://my.webmd.com/content/article/1728.50099>>. Accessed 2001 Aug 10.
- Swerdlow DL, Mintz ED, Rodriguez M, Tejada E, Ocampo C, Espejo L, Greene KD, Saldana W, Seminario L, Tauxe RV and others. 1992. Waterborne transmission of epidemic cholera in Trujillo, Peru; lessons for a continent at risk. *Lancet* 340(4):28.
- Szabo J. 1976. Survival of *Salmonella enteritidis* on pastures following irrigation. *Magyar Allatorvosok Lapja* 31:161-4.
- Szabo EA, Scurrah KJ, Burrows JM. 2000. Survey for Psychrotrophic bacterial pathogens in minimally processed lettuce. *Lett Appl Microbiol* 30(6):456-60.
- Tabershaw IR, Schmelzer LL, Bruyn HB. 1967. Gastroenteritis from an orange juice preparation. *Arch Environ Health* 15:72-7.
- Takayanagui OM, Febronio LHP, Bergamini AM, Okino MHT, Silva A, Castro e AMC, Santiago R, Capuano DM, Oliveira AM, Takayanagui AMM. 2000. Monitoring of lettuce crops of Ribeirao Preto, SP. *Rev Soc Bras Med Trop* 33(2):169-74.
- Takeuchi K, Frank JF. 2000. Penetration of *Escherichia coli* O157:H7 into lettuce tissues as affected by inoculum size and temperature and the effect of chlorine treatment on cell viability. *J Food Prot* 63(4):434-40.
- Tamasi G, Winkler KC. 1977. Dissemination of microorganisms due to slurry sprinkling. *Montashefte fur Veterinarmedizin* 32:773-5.
- Tamblyn S, deGrosbois J, Taylor D, Stratton J. 1999. An outbreak of *Escherichia coli* O157:H7 infection associated with unpasteurized non-commercial, custom-pressed apple cider—Ontario, 1998. *Can Commun Dis Rep* 25:113-7.
- Tamminga SK, Beumer RR, Kampelmacher EH. 1978. The hygienic quality of vegetables grown in or imported into the Netherlands: a tentative study. *J Hyg Camb* 80:143-54.
- Taormina PJ, Beuchat LR, Slutsker L. 1999. Infections associated with eating seed sprouts: an international concern. *Emerg Infect Dis* 6:626-34.
- Taormina PJ, Beuchat LR. 1999a. Behavior of enterohemorrhagic *Escherichia coli* O157:H7 on alfalfa sprouts during the sprouting process as influenced by treatments with various chemicals. *J Food Prot* 62(8):850-6.

IFT/FDA Report on Task Order 3

- Taormina PJ, Beuchat LR. 1999b. Comparison of chemical treatments to eliminate enterohemorrhagic *Escherichia coli* O157:H7 on alfalfa seeds. *J Food Prot* 62(4):318-24.
- Tate RL. 1987. *Soil Organic Matter: biological and ecological effects*. New York: Wiley. 291 p.
- Tauxe R, Kruse H, Hedberg C, Potter M, Madden J, Wachsmuth K. 1997. Microbial hazards and emerging issues associated with produce: a preliminary report to the National Advisory Committee on Microbiological Criteria for Foods. *J Food Prot* 60(11):1400-8.
- Tauxe RV. 1997. Emerging foodborne diseases: an evolving public health challenge. *Dairy, Food Environ Sanit* 17(12):788-95.
- Teltsch B, Katzenelson E. 1978. Airborne enteric bacteria and viruses from spray irrigation with wastewater. *Appl Environ Microbiol* 35(2):290-6.
- Teltsch B, Kedmi S, Bonnet L, Borenzstafn-Rotem Y, Katznelson E. 1980. Isolation and identification of pathogenic microorganisms at wastewater-irrigated fields: ratios in air and wastewater. *Appl Environ Microbiol* 39(6):1183-90.
- Teo AY-L, Ravishankar S, Sizer CE. 2001. Effect of low-temperature, high-pressure treatment on the survival of *Escherichia coli* O157:H7 and *Salmonella* in unpasteurized fruit juices. *J Food Prot* 64(8):1122-7.
- Thayer DW, Josephson ES, Brynjolfsson A, Giddings GG. 1996. Radiation pasteurization of food. Council for Agricultural Science and Technology Issue Paper Nr. 7(Apr):1-12.
- Thayer DW, Rajkowski KT. 1999. Developments in irradiation of fresh fruits and vegetables. *Food Technol* 53(11):62-5.
- Thomas P. 1986. Radiation preservation of foods of plant origin. V. Temperate fruits: pome fruits, stone fruits, and berries. *Crit Rev Fd Sci Technol* 24:357-400.
- Tokuoka K, Isshiki K. 1994. Possibility of application of Allylthiocyanate vapor for food preservation. *Nippon Shokuhin Kogyo Gakkaishi* 41(9):595-9.
- Torriani S, Orsi C, Vescovo M. 1997. Potential of *Lactobacillus casei*, culture permeate, and lactic acid to control microorganisms in ready-to-use vegetables. *J Food Prot* 60:1564-7.
- Tran TT, Thunberg RL, Bennett RW, Matthews RN. 2000. Fate of *Campylobacter jejuni* in normal air, vacuum, and modified atmosphere packaged fresh-cut vegetables [abstract]. In: 114th Annual Meeting, Association of Official Analytical Chemists; 2000 Sept 10-14; Philadelphia (PA). Gaithersburg (MD): AOAC. p 86. No. F-1309.
- Trankner A. 1992. Use of agricultural and municipal organic wastes to develop suppressiveness to plant pathogens. In: Tjamos EC, Papavizas GC, Cook RJ, editors. *Biological control of plant diseases: progress and challenges for the future*. New York: Plenum Press in cooperation with NATO Scientific Affairs Division. p 35-42. (NATO ASI Series No. 230).
- Turnbull PC, Snoyenboss GH. 1973. The role of ammonia, water activity and pH in salmonellacid effect of long used poultry litter. *Avian Dis* 17:77-86.
- [UC] University of California/Division of Agriculture and Natural Resources. 1998. Commercial cooling of fruits, vegetables, and flowers. Davis (CA): UC-DANR. Report nr ANR Publication 21567. 65 p. Available from: <http://anrcatalog.ucdavis.edu/index.ihtml>.
- [UC] University of California/Division of Agriculture and Natural Resources. 2000a. Soil management and soil quality for organic crops. *Organic Vegetable Production in California Series*; 7248. <http://anrcatalog.ucdavis.edu/specials.ihtml>. Accessed 2001 Aug 7.
- [UC] University of California/Division of Agriculture and Natural Resources. 2000b. Soil fertility management for organic crops. *Organic Vegetable Production in California Series*; 7249. <http://anrcatalog.ucdavis.edu/specials.ihtml>. Accessed 2001 Aug 7.
- [UC] University of California/Division of Agriculture and Natural Resources. 2000c. Weed management for organic crops. *Organic Vegetable Production in California Series*; 7250. <http://anrcatalog.ucdavis.edu/specials.ihtml>. Accessed 2001 Aug 7.
- [UC] University of California/Division of Agriculture and Natural Resources. 2000d. Insect management for organic crops. *Organic Vegetable Production in California Series*; 7251. <http://anrcatalog.ucdavis.edu/specials.ihtml>. Accessed 2001 Aug 7.
- [UC] University of California/Division of Agriculture and Natural Resources. 2000e. Plant disease management for organic crops. *Organic Vegetable Production in California Series*; 7252. <http://anrcatalog.ucdavis.edu/specials.ihtml>. Accessed 2001 Aug 7.
- [UC] University of California/Division of Agriculture and Natural Resources. 2000f. Postharvest handling for organic crops. *Organic Vegetable Production in California Series*; 7254. <http://anrcatalog.ucdavis.edu/specials.ihtml>. Accessed 2001 Aug 7.
- Ulate-Rodriguez J, Schafer HW, Zottola EA, Davidson PM. 1997. Inhibition of *Listeria monocytogenes*, *Escherichia coli* O157:H7, and *Micrococcus luteus* by linear furanocoumarins in a model food system. *J Food Prot* 60:1050-4.
- Ullas HE, Ingham SC. 1998. Survival of *Escherichia coli* O157:H7 in synthetic gastric fluid after cold and acid habituation in apple juice or trypticase soy broth acidified with hydrochloric acid or organic acids. *J Food Prot* 61(8):939-47.
- Urban WM. 1986. *Fruits, vegetables, and nuts*. In: Schweigert BS, editor. *Food Irradiation*. Orlando (FL): Academic Pr. p 170-216. (Food Science and Technology, A series of monographs).
- Usall J, Teixido N, Fons E, Vinas I. 2000. Biological control of blue mould on apple by a strain of *Candida sake* under several controlled atmosphere conditions. *Int J Food Microbiol* 58:83-92.
- [USDA] U.S. Department of Agriculture, National Agricultural Statistics Service. 1998. 1998 Farm and ranch irrigation survey: census of agriculture. <http://www.nass.usda.gov/census/census97/iris/iris.htm>. Accessed 2001 Sept 25.
- [USDA] U.S. Department of Agriculture, Agricultural Research Service. 1999. Oct 29 (pub request approval date). Influence of soil type and bovine manure on fate and transport of *Cryptosporidium parvum* oocysts in soil. ARS National Programs. <http://nps.ars.usda.gov/publications/publications.htm?lognum=0000107662>. Accessed 2001 May 30.
- [USDA] U.S. Department of Agriculture, National Agricultural Statistics Service. 2001 June. Fruit and Vegetable Agricultural Practices—1999. USDA. <http://usda.gov/nass/pubs/rpts106.htm>. Accessed 2001 June 18.
- [USDA] U.S. Dept. of Agriculture, Agricultural Marketing Service. 1995. Protecting perishable foods during transport by truck. Washington: USDA, AMS, Transportation and Marketing Division. Report nr Hbk-669. Available from: <http://www.ams.usda.gov/poultry/publications/sea%5Fpubs.htm>.
- [USDA] U.S. Dept. of Agriculture, Economic Research Service. 1999 Oct. Fruit and Tree Nut Situation and Outlook Report. FTS-287. <http://www.ers.usda.gov/publications/so/view.asp?f=/specialty/fts-bb/>. Accessed 2001 Aug 10.
- [USDA] U.S. Dept. of Agriculture, Agricultural Marketing Service. 2000 Dec 21. National organic program; final rule. *Fed Register* 65(246):80547-96.
- Van Donkersgoed J, Graham T, Gannon V. 1999 May. The prevalence of verotoxins, *Escherichia coli* O157:H7, and *Salmonella* in the feces and rumen of cattle at processing. *Can Vet J* 40:???
- Van Renterghem B, Huysman F, Rygole R, Verstraete W. 1991. Detection and prevalence of *Listeria monocytogenes* in the agricultural ecosystem. *J Appl Bacteriol* 71:211-7.
- Vaz da Costa-Vargas SM, Mara DD, Vargas-Lopez CE. 1991. Residual faecal contamination on effluent-irrigated lettuces. *Wat Sci Tech* 24(9):89-94.
- Velaudapillai T, Niles GR, Nagaratnam W. 1969. *Salmonella*, shigellas, and enteropathogenic *Escherichia coli* in uncooked food. *J Hyg., Camb.* 67:187-91.
- Vescovo M, Torriani S, Orsi C, Macchiarolo F, Scolari G. 1996. Application of antimicrobial-producing lactic acid bacteria to control pathogens in ready-to-use vegetables. *J Appl Bacteriol* 81:113-9.
- Vescovo M, Scolari G, Orsi C, Sinigaglia M, Torriani S. 1997. Combined effects of *Lactobacillus casei* inoculum, modified atmosphere packaging and storage temperature in controlling *Aeromonas hydrophila* in ready-to-use vegetables. *Int J Food Sci Technol* 32:411-9.
- Wadstrom T, Ljungh A. 1991. *Aeromonas* and *Plesiomonas* as food-and waterborne pathogens. *Int J Food Microbiol* 12(4):303-11.
- Walker HE, LaGrange WS. 1991. *Sanitation in food manufacturing operations*. In: Block SE, editor. *Disinfection, sterilization, and preservation*. 4th ed. Philadelphia (PA): Lea & Febiger.
- Wallace JS, Cheasty T, Jones K. 1997. Isolation of Vero cytotoxin-producing *Escherichia coli* O157:H7 from wild birds. *J Appl Microbiol* 82:399-404.
- Wallace RB. 1997. *Campylobacter*. In: Hocking AD, Arnold G, Jensen I, Newton K, Sutherland P, editors. *Foodborne microorganisms of public health significance*. Tempe, Australia: Treneer Printing Service Pty Ltd. p 265-84.
- Wan J, Wilcock A, Coventry MJ. 1998. The effect of essential oils of basil on the growth of *Aeromonas hydrophila* and *Pseudomonas fluorescens*. *J Appl Microbiol* 84:152-8.
- Wang G, Zhao T, Doyle MP. 1996. Fate of enterohemorrhagic *Escherichia coli* O157:H7 in bovine feces. *Appl Environ Microbiol* 62(7):2567-70.
- Warnemuende EA, Baker JL, Kanwar RS, Lorimor JC, Mickelson S, Melvin SW. 1999. The effects of swine manure application systems on surface and groundwater quality. In: ASAE/CSAE-SCGR Annual Int Mtg; 1999 July 18-21; Toronto. American Society of Agricultural Engineers. p 9 p.
- Warnemuende EA, Kanwar RS. 2000. The effect of swine manure application on bacterial quality of leachate from intact soil columns. In: 2000 ASAE Annual Int Mtg; 2000 July 9-12; Milwaukee, Wisconsin. American Society of Agricultural Engineers. p 1-22.
- Webb RB. 1976. Lethal and mutagenic effects of near-ultraviolet radiation. In: Smith KC, editor. *Photochemical and Photobiological Reviews*. New York: Plenum Pr. p 169-261.
- Wei CI, Huang TS, Kim JM, Lin WF, Tamplin ML, Bartz JA. 1995. Growth and survival of *Salmonella montevideo* on tomatoes and disinfection with chlorinated water. *J Food Prot* 58(8):829-36.
- Weis J, Seeliger PR. 1975. Incidence of *Listeria monocytogenes* in nature. *Appl Microbiol* 30:29-32.
- Weissinger WR, Chantarapanont W, Beuchat LR. 2000. Survival and growth of *Salmonella* Baildon in shredded lettuce and diced tomatoes, and effectiveness of chlorinated water as a sanitizer. *Int J Food Microbiol* 62:123-31.
- Weissinger WR, McWatters KH, Beuchat LR. 2001. Evaluation of volatile chemical treatments for lethality to *Salmonella* on alfalfa seeds and sprouts. *J Food Prot* 64(4):442-50.
- Wells JM, Butterfield JE. 1997. *Salmonella* contamination associated with bacterial soft rot of fresh fruits and vegetables in the marketplace. *Plant Dis* 81(8):867-72.
- Welshimer HJ. 1960. Survival of *Listeria monocytogenes* in soil. *J Bacteriol* 80:316-20.
- Weltzien HC. 1990. The use of composted materials for leaf disease suppression in field crops. Monograph Br Crop Prot Counc 45:115-21. (in the series analytic: Crop protection in organic and low input agriculture/edited by R. Unwin. Proceedings of a symposium; 1990 Sept 4-6; Cambridge, United Kingdom).
- Wesley IV, Wells SJ, Harmon KM, Green A, SchroederTucker L, Glover M, Siddique I. 2000. Fecal shedding of *Campylobacter* and *Arcobacter* spp. in dairy cattle.

List of References

- Appl Environ Microbiol 66(5):1994-2000.
- White KE. 1986. A foodborne outbreak of Norwalk virus gastroenteritis: evidence for post-recovery transmission. *Acute Dis Epidemiol (Field Services Sect) Minnesota Dept Health* 124:120-6.
- WHO. 1996a. Enterohaemorrhagic *Escherichia coli* infection. *Weekly Epidemiol Rec* 30:229-30.
- WHO. 1996b. Enterohaemorrhagic *Escherichia coli* infection. *Weekly Epidemiol Rec* 35:267-8.
- [WHO] World Health Organization. 1989. Health guidelines for the use of wastewater in agriculture and aquaculture. Geneva, Switzerland: WHO. (Technical Report Series 778).
- Wilkinson VM, Gould GW. 1996. Food Irradiation: a reference guide. Oxford (UK): Butterworth—Heinemann.
- Williams LP, Newell KW. 1970. Salmonella excretion in joy-riding pigs. *Amer J Public Health* 50:926-9.
- Williams JE, Benson ST. 1978. Survival of Salmonella typhimurium in poultry feed and litter at three temperatures. *Avian Dis* 22:742-7.
- Willison SR. 1963. Ionizing radiation for the control of plant pathogens: a review. *Can Plant Dis (Survey)* 43:39.
- Winniczuk PP. 1994. Effects of sanitizing compounds on the microflora of orange fruit surfaces and orange juice [M.S.]. Gainesville (FL): Univ of Florida Graduate School.
- Woedtker T, Schluter B, Pfliegel P, Lindequist U, Julich WD. 1999. Aspects of the antimicrobial efficacy of grapefruit seed extract and its relation to preservative substances contained. *Pharmazie* 54:452-6.
- Wolfe RL, Stewart MH, Liang S, McGuire MJ. 1989. Disinfection of model indicator organisms in drinking water pilot plant by using peroxone. *Appl Environ Microbiol* 55:2230-41. (cited in Mossel and others 1995).
- Wong H-C, Chao W-L, Lee S-J. 1990. Incidence and characterization of *Listeria monocytogenes* in foods available in Taiwan. *Appl Environ Microbiol* 56(10):3101-4.
- Wright JR, Sumner SS, Hackney CR, Pierson MD, Zoeklein BW. 2000. Reduction of *Escherichia coli* O157:H7 on apples using wash and chemical sanitizer treatments. *Dairy Food Environ Sanit*:120-6.
- Wszelaki AL, Mitcham EJ. 2000. Effects of superatmospheric oxygen on strawberry fruit quality and decay. *Postharvest Biol Technol* 20:125-33.
- Wu FM, Doyle MP, Beuchat LR, Wells JG, Mintz ED, Swaminathan B. 2000. Fate of *Shigella sonnei* on parsley and methods of disinfection. *J Food Prot* 63(5):568-72.
- Xu L. 1999. Use of ozone to improve the safety of fresh fruits and vegetables. *Food Technol* 53(10):58-61, 3.
- York DW, Wadsworth L. 1998. Reuse in Florida: moving toward the 21st century. In: *Proceedings of Water Reuse 98*; 1998 Feb 1-4; Lake Buena Vista, FL.
- York DW, Parsons LW, Walker-Coleman L. 2000. Agricultural reuse: using reclaimed water to irrigate edible crops in Florida. In: *Proceedings of the 2000 Florida Water Resources Conference*; 2000 April 17-19; Tampa. FWEA, FS/AWWA, FW&PCOA.
- York DW, Burg NR. 1998. Protozoan pathogens: a comparison of reclaimed water and other irrigation waters. In: *Proceedings of Water Reuse 98*; 1998 Feb 1-4; Lake Buena Vista, FL.
- Zagory D. 1995. Principles and practice of modified atmosphere packaging of horticultural commodities. In: Farber JM, Dodds KL, editors. *Principles of modified-atmosphere and sous-vide product packaging*. Lancaster, PA: Technomic Publishing Co Inc. p 175-204.
- Zagory D. 1999. Effects of post-processing handling and packaging on microbial populations. *Postharvest Biol Technol* 15:313-21.
- Zegota H. 1988. Suitability of Dukat strawberries for studying effects on shelf life of irradiation combined with cold storage. *Z Lebensm Unters Forsch* 187:111-4.
- Zhai Q, Cayne MS, Barnhisel RI. 1995. Mortality rates of fecal bacteria in subsoil amended with poultry manure. *Bioresearch Technol* 54:165-9.
- Zhang S, Farber JM. 1996. The effects of various disinfectants against *Listeria monocytogenes* on fresh-cut vegetables. *Food Microbiol* 13:311-21.
- Zhao T, Doyle MP, Besser RE. 1993. Fate of enterohemorrhagic *Escherichia coli* O157:H7 in apple cider with and without preservatives. *Appl Environ Microbiol* 59(8):2526-30.
- Zhao J, Cranston PM. 1995. Microbial decontamination of black pepper by ozone and the effect of the treatment on volatile oil constituents of the spice. *J Sci Food Agric* 68:11-8.
- Zhao T, Doyle MP, Shere J, Garber L. 1995. Prevalence of enterohemorrhagic *Escherichia coli* O157:H7 in a survey of dairy herds. *Appl Environ Microbiol* 61:1290-3.
- Zhuang R-Y, Beuchat LR, Angulo FJ. 1995. Fate of *Salmonella montevideo* on and in raw tomatoes as affected by temperature and treatment with chlorine. *Appl Environ Microbiol* 61(6):2127-31.
- Zhuang R, Beuchat LR, Chinnan MS, Shewfelt RL, Huang Y-W. 1996. Inactivation of *Salmonella* Montevideo on tomatoes by applying cellulose-based edible films. *J Food Prot* 59:808-12.
- Zhuang R-Y, Beuchat LR. 1996. Effectiveness of trisodium phosphate for killing *Salmonella montevideo* on tomatoes. *Letts Appl Microbiol* 22:97-100.
- Zibilske LM, Weaver RW. 1978. Effect of environmental factors on survival of *Salmonella typhimurium* in soil. *J Environ Qual* 7(4):593-7.
- Zook CD, Brady LJ, Busta FF. 2001. Peroxidative stress adaptation and thermal cross-resistance in *Escherichia coli* O157:H7 933 subjected to sublethal doses of peroxyacetic acid sanitizer. *J Food Prot* 64:767-9.
-